

JANUARY 2024

 **KOLORSLED**[®]
Illuminating Life

INNOVATIVE BRILLIANCE
FOR A BRIGHTER WORLD.



“

IT ALWAYS SEEMS IMPOSSIBLE
UNTIL IT'S DONE.

”

- NELSON MANDELA





Research suggests that **lights play an important role** in our well-being. Exposure to natural light affects our energy, mood, sleep and overall quality of life. However, due to the modern lifestyle, optimal exposure to natural light becomes difficult. Even when it comes to our interiors, it is said that an adequate amount of light improves energy levels while inadequate or dull lighting may add to depression and other deficiencies in the body. The type of light and its luminance affects other aspects of daily life like concentration, appetite and many others. So to cater to lighting requirements that help alleviate our mood, Kolors brings to you a range of LED lights that's just the right blend of everything required to uplift your mood through efficient lighting and make you happy.



At Kolors, the unsatiated desire to innovate is what keeps us going relentlessly in our journey of surpassing excellence and achieving perfection. Taking the journey of beautifying lives a little farther, we bring to you a new offering - Kolors LED lighting. A concoction of the finest designs, world-class materials and advanced technology, this range of LED lighting is conceived to offer lighting solutions that are superior and sustainable. Perfected to the finest details, these products undergo rigorous quality checks at our in-house international standard laboratory where they are tested by a full-fledged Research & Development department. Crafted to let you embrace a world adorned with unmatched brightness, these are just what you need to light up your spaces with Happy Lighting!



DRIVEN BY INNOVATION, MEASURED BY TRUST.

At Kolors, we take immense pride in our unwavering focus on top-notch quality, finesse in execution, and a diverse range of products that place us at the forefront of the industry. As a Fast-Moving Electrical Goods (FMEG) Company, we are dedicated to delivering international standard products that are conceived, designed, and manufactured right here in India for the world.

Since our inception in 1970 as a small trading company specializing in electrical products and accessories, we have grown to become a leading manufacturer of electrical switches and fixtures for various sectors. Today, our product range includes switches, sockets, accessories, switchgears, distribution boards, LED lighting products, wires & cables, home automation products, plug tops, lamp holders, doorbells, extension cords, spikeguards, mounting boxes and motion sensors for every imaginable market segment.

With 5 state-of-the-art manufacturing plants, 13 Depots, 5000 plus Channel Partners, and a workforce of over 1500, we have achieved a wide-ranging presence across India, making our top-quality products accessible to a vast audience.

Our unwavering pursuit of quality, sophistication, and style drives us on our journey to the forefront of the industry. Offering a wide array of products, we cater to every style of living. Through innovation and expertise, we provide world-class quality products that radiate grandeur and class. The unmatched quality of Kolors products and our state-of-the-art manufacturing plants has helped us claim ISO, OHSAS & CE certification. These certifications allow us to sell our products anywhere around the world. Our commitment to excellence has been recognized with the prestigious India Design Mark, twice.

For us, sustainability is at the heart of our ethos. Committed to reducing our carbon footprint, we harness renewable resources like solar power and rainwater harvesting initiatives, contributing to a greener future. At Kolors, we strive to lead the industry not only in quality but also in our responsibility towards the environment.

For us, social responsibility is at the core of every initiative. We strive our best to bring a valuable difference to the society by contributing in the areas of Education, Environment, Health & Housing. Our CSR endeavours align with our mission to 'make life better' while providing opportunities for all.

At Kolors, we are devoted to enhancing stylish living through superior electrical goods, and our unwavering commitment to quality sets us apart in the market.



नवीनता से प्रेरित, विश्वास द्वारा मापा गया ।

कलर्स में, गुणवत्ता पर हमारा बेजोड़ फोकस, निष्पादन में सूक्ष्मता और विविध श्रेणी ने हमें उद्योग में सबसे आगे स्थापित करने में मदद की है। आज हम अंतर्राष्ट्रीय गुणवत्ता वाले उत्पादों के निर्माता होने में गर्व महसूस करते हैं जिनकी कल्पना, डिज़ाइन एवं निर्मितता भारत में ही की गई है।



यह बात १९७० की है जब कलर्स ने एक छोटी सी व्यापारिक कंपनी को स्थापित किया, जो कि इलेक्ट्रिकल वायरिंग एक्सेसरीज़ में व्यापार करती थी। अपनी कार्यप्रणाली के दौरान, इस समूह ने धीरे-धीरे घरों, कार्यलयों, कारखानों, हवाई अड्डों और होटलों के लिए इलेक्ट्रिकल स्विच और एक्सेसरीज़ उत्पादन के क्षेत्र में अपने कदम रखे। आज, कलर्स ने हर बाजार खंड के लिए सभी प्रकार के स्विच, सॉकेट, एक्सेसरीज़, एमसीबी, एलईडी लाईटिंग उत्पाद, प्लग टॉप, तार, लैम्प होल्डर, डोर बेल, मार्केटिंग बॉक्स और घर स्वचालन उत्पादन के निर्माण से उद्योग जगत में अपना एक स्थान बनाया है।

५ अत्याधुनिक उत्पादन प्लांट्स, १३ डिपो, ५००० से अधिक चैनल पार्टनर्स, १५०० से ज्यादा कर्मचारियों और ५००० से ज्यादा प्रोडक्ट्स के साथ कलर्स पूरे भारत में मौजूद है और अनगिनत लोगों को विश्वस्तरीय उत्पाद प्रदान कर रहा है।

गुणवत्ता, परिष्कार और शैली का अनुसरण हमें उद्योग के शीर्ष की ओर ले जाता है। हमारे उत्पादों की विस्तृत श्रृंखला कुछ ऐसा प्रदान करती है जो जीवन शैली की हर शैली के अनुरूप हो। हमारे इन्वोल्वेशन अग्रणी दृष्टिकोण और प्रवीणता ने हमें विश्व स्तरीय गुणवत्ता वाले उत्पाद प्रदान करने में मदद की है जो भव्य जीवनशैली और विशेष श्रेणी दर्शाती है। कलर्स उत्पादों की बेजोड़ गुणवत्ता और हमारे अत्याधुनिक विनिर्माण संयंत्रों ने हमें आईएसओ, ओएचएसएस और सीई प्रमाणीकरण का दावा करने में मदद की है। ये प्रमाणपत्र हमें दुनिया भर में कहीं भी अपने उत्पाद बेचने की अनुमति देते हैं। हमारे प्रयास का नतीजा वास्तव में पुरस्कृत हुआ है जैसे – भारत डिजाइन मार्क से दो बार सम्मानित होना।

पर्यावरण, सदभावनापूर्ण जीवन हमारे सिद्धांतों के केंद्र में है। अपने कार्बन फुटप्रिंट को कम करने लिए हम प्रतिबद्ध हैं, सौर ऊर्जा और वर्षा जल संचयन जैसे नवीनीकृत ऊर्जा संसाधनों का उपयोग करते हुए हरीत भविष्य की ओर अग्रसीत समाज में हमारे योगदान के रूप में देखा जा सकता है। कलर्स में हम न केवल गुणवत्ता में बल्कि पर्यावरण के प्रति हमारी जिम्मेदारी में भी उद्योग का नेतृत्व करने का प्रयास करते हैं।

हमारे लिए, सामाजिक जिम्मेदारी हर पहल के मूल में है। हम शिक्षा, पर्यावरण, स्वास्थ्य और आवास के क्षेत्रों में योगदान देकर समाज में एक मूल्यवान अंतर लाने के लिए अपनी पूरी कोशिश करते हैं। हमारा सीएसआर प्रयास सभी के लिए अवसर प्रदान करते हुए जीवन को बेहतर बनाने के हमारे कर्तव्य को साफ दर्शाते हैं।





Click on the page number
or name to open the page

PANEL LIGHT

Kyle	11
Klara	14
Karis	17
Karis Trio	20
Keeto	23
Keeto Neo	26
Keeto 2x2	28
Kongo	30
Novva	32
Bling	32
Krown	34

DOWNLIGHT

Karis	36
Kute	38
Klair	38
Kandid	39
Klay	40
Kliff	41
Kute 2.0	44
Kute 2.0 Trio	44
Kenzo	46

BULKHEAD

Igloo	46
Boat	46

SPOTLIGHT

Primus	50
Kornet	52
Kornet 2.0	54
Karat	56
Deko	58
Kandy 2.0	60

TRACK LIGHT

Matrix	62
--------------	----



STRIP LIGHT

Kove 65

ROPE LIGHT

Groove 67

BULBS

Keeto B22 70

Keeto Inverter 70

Nano 71

Teeny 71

Keeto E27 72

Kandle 74

Kball 76

KGlow 76

T-BULB

Kate 74

BATTEN LIGHT

Kosmic 79

Komet 79

Karis 80

Karis Trio 80

NYX.....80

STREET LIGHT

Kite 82

Edge 82

FLOODLIGHT

Kanon 84

Kite 84



LIVE ECO-FRIENDLY IN A FUTURISTIC LIFE.

Now it's easier to follow your agenda of environmental responsibility. To begin with, eco-friendly LED lights are energy-efficient due to the design of the fixture and device. Apart from being non-toxic and made from recyclable material, these lights do not emit ultraviolet radiation.



KILE
PANEL LIGHT

UNVEILING A NEW ERA
OF LED LIGHTING.



BRING OUT
EXCEPTIONAL
RADIANCE.



In-built Driver



FEATURES:

- Available in Warm White (3000K)
Natural White (4000K) & Cool White (6500K)
- Recessed Type
- Non-isolated Driver, Efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- Housing Material & Diffuser Type: Engineering Plastic
- 4-stage Electrical Protection:
 - Over Voltage
 - Under Voltage
 - Short Circuit
 - Open Circuit



Superior Surge
Protection 2.5KV




Wide Voltage
Range 85 - 265 V~











Beam Angle



IP20



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KYLE PANEL LIGHT SLIM-ROUND										
	2409PL06R WW	6W	3000K	>0.9	120°	>80	Φ120*22.5	Φ 98	560.00	01/40
	2409PL06R NW	6W	4000K	>0.9	120°	>80	Φ120*22.5	Φ 98	560.00	01/40
	2409PL06R CW	6W	6500K	>0.9	120°	>80	Φ120*22.5	Φ 98	560.00	01/40
	2409PL10R WW	10W	3000K	>0.9	120°	>80	Φ145*22.5	Φ 125	675.00	01/40
	2409PL10R NW	10W	4000K	>0.9	120°	>80	Φ145*22.5	Φ 125	675.00	01/40
	2409PL10R CW	10W	6500K	>0.9	120°	>80	Φ145*22.5	Φ 125	675.00	01/40
	2409PL15R WW	15W	3000K	>0.9	120°	>80	Φ170*22.5	Φ 150	850.00	01/40
	2409PL15R NW	15W	4000K	>0.9	120°	>80	Φ170*22.5	Φ 150	850.00	01/40
	2409PL15R CW	15W	6500K	>0.9	120°	>80	Φ170*22.5	Φ 150	850.00	01/40
	2409PL20R WW	20W	3000K	>0.9	120°	>80	Φ225*22.5	Φ 205	1200.00	01/40
	2409PL20R NW	20W	4000K	>0.9	120°	>80	Φ225*22.5	Φ 205	1200.00	01/40
	2409PL20R CW	20W	6500K	>0.9	120°	>80	Φ225*22.5	Φ 205	1200.00	01/40
KYLE PANEL LIGHT SLIM-SQUARE										
	2409PL06S WW	6W	3000K	>0.9	120°	>80	120*120*22.5	98*98	560.00	01/40
	2409PL06S NW	6W	4000K	>0.9	120°	>80	120*120*22.5	98*98	560.00	01/40
	2409PL06S CW	6W	6500K	>0.9	120°	>80	120*120*22.5	98*98	560.00	01/40
	2409PL10S WW	10W	3000K	>0.9	120°	>80	145*145*22.5	125*125	675.00	01/40
	2409PL10S NW	10W	4000K	>0.9	120°	>80	145*145*22.5	125*125	675.00	01/40
	2409PL10S CW	10W	6500K	>0.9	120°	>80	145*145*22.5	125*125	675.00	01/40
	2409PL15S WW	15W	3000K	>0.9	120°	>80	170*170*22.5	150*150	850.00	01/40
	2409PL15S NW	15W	4000K	>0.9	120°	>80	170*170*22.5	150*150	850.00	01/40
	2409PL15S CW	15W	6500K	>0.9	120°	>80	170*170*22.5	150*150	850.00	01/40
	2409PL20S WW	20W	3000K	>0.9	120°	>80	225*225*22.5	205*205	1200.00	01/40
	2409PL20S NW	20W	4000K	>0.9	120°	>80	225*225*22.5	205*205	1200.00	01/40
	2409PL20S CW	20W	6500K	>0.9	120°	>80	225*225*22.5	205*205	1200.00	01/40

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY




KLARA
PANEL LIGHT



WHERE ELEGANCE MEETS ENCHANTMENT.

Crafted with precision and designed to inspire, these luminous marvels seamlessly blend modern aesthetics with unparalleled functionality. Experience the art of illumination as Klara's soft, even glow transforms any space into a haven of sophistication.





KLARA

PANEL LIGHT



Lit edges


Rimless design

REVOLUTIONIZE
YOUR STYLE.




FEATURES:

- Available in Warm White (3000K)
Natural White (4000K) & Cool White (6500K)
- Recessed & Surface (Separate Ring) Type
- Non-isolated Driver, Efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- Housing Material & Diffuser Type: Engineering Plastic
- 4-stage Electrical Protection:
 - Over Voltage
 - Under Voltage
 - Short Circuit
 - Open Circuit



Adjustable clips



Easy installation



In-built Driver



Superior Surge
Protection 2.5KV






Wide Voltage
Range 100 - 300 V~







Beam Angle
120°




IP20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KLARA PANEL LIGHT (RIMLESS) ROUND										
	2405PL12R WW	12W	3000K	>0.9	120°	>80	Φ120*30	Φ 75-100	860.00	01/40
	2405PL12R NW	12W	4000K	>0.9	120°	>80	Φ120*30	Φ 75-100	860.00	01/40
	2405PL12R CW	12W	6500K	>0.9	120°	>80	Φ120*30	Φ 75-100	860.00	01/40
	2405PL18R WW	18W	3000K	>0.9	120°	>80	Φ170*32	Φ 75-150	1160.00	01/20
	2405PL18R NW	18W	4000K	>0.9	120°	>80	Φ170*32	Φ 75-150	1160.00	01/20
	2405PL18R CW	18W	6500K	>0.9	120°	>80	Φ170*32	Φ 75-150	1160.00	01/20
	2405PL24R WW	24W	3000K	>0.9	120°	>80	Φ223*32	Φ 75-200	1475.00	01/20
	2405PL24R NW	24W	4000K	>0.9	120°	>80	Φ223*32	Φ 75-200	1475.00	01/20
	2405PL24R CW	24W	6500K	>0.9	120°	>80	Φ223*32	Φ 75-200	1475.00	01/20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KLARA PANEL LIGHT (RIMLESS) SQUARE										
	2405PL12S WW	12W	3000K	>0.9	120°	>80	120*120*30	Φ 75-100	900.00	01/40
	2405PL12S NW	12W	4000K	>0.9	120°	>80	120*120*30	Φ 75-100	900.00	01/40
	2405PL12S CW	12W	6500K	>0.9	120°	>80	120*120*30	Φ 75-100	900.00	01/40
	2405PL18S WW	18W	3000K	>0.9	120°	>80	170*170*32	Φ 75-150	1200.00	01/20
	2405PL18S NW	18W	4000K	>0.9	120°	>80	170*170*32	Φ 75-150	1200.00	01/20
	2405PL18S CW	18W	6500K	>0.9	120°	>80	170*170*32	Φ 75-150	1200.00	01/20
	2405PL24S WW	24W	3000K	>0.9	120°	>80	223*223*32	Φ 75-200	1515.00	01/20
	2405PL24S NW	24W	4000K	>0.9	120°	>80	223*223*32	Φ 75-200	1515.00	01/20
	2405PL24S CW	24W	6500K	>0.9	120°	>80	223*223*32	Φ 75-200	1515.00	01/20

	Code	Particular	Dimension	MRP ₹/U	Pack
KLARA PANEL LIGHT SURFACE FRAME-ROUND					
	2405PL12R	12W Surface Frame Round LED Panel Light	Φ120*30	160.00	01/40
	2405PL18R	18W Surface Frame Round LED Panel Light	Φ170*30	255.00	01/40
	2405PL24R	24W Surface Frame Round LED Panel Light	Φ225*30	325.00	01/40

KLARA PANEL LIGHT SURFACE FRAME-SQUARE					
	2405PL12S	12W Surface Frame Square LED Panel Light	120*120*30	160.00	01/40
	2405PL18S	18W Surface Frame Square LED Panel Light	170*170*30	255.00	01/40
	2405PL24S	24W Surface Frame Square LED Panel Light	225*225*30	325.00	01/40

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY















KARIS

PANEL LIGHT

LET YOUR SPACES RADIATE GLORY.

Minimalistic, compact and sophisticated, these panels with a high lumen value offer efficient and uniform brightness to your spaces. Energy-efficient and enduring, these are at par with electrical safety standards. Designed to cater to a range of requirements, these add a dash of warmth to the spaces they adorn.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARIS PANEL LIGHT-ROUND										
	2402PL03R WW	3W	3000K	>0.5	120°	>80	Φ 82*36	Φ 60	350.00	01/60
	2402PL03R NW	3W	4000K	>0.5	120°	>80	Φ 82*36	Φ 60	350.00	01/60
	2402PL03R CW	3W	6500K	>0.5	120°	>80	Φ 82*36	Φ 60	350.00	01/60
	2402PL06R WW	6W	3000K	>0.9	120°	>80	Φ 116*36	Φ 95	450.00	01/40
	2402PL06R NW	6W	4000K	>0.9	120°	>80	Φ 116*36	Φ 95	450.00	01/40
	2402PL06R CW	6W	6500K	>0.9	120°	>80	Φ 116*36	Φ 95	450.00	01/40
	2402PL09R WW	9W	3000K	>0.9	120°	>80	Φ 116*36	Φ 95	535.00	01/40
	2402PL09R NW	9W	4000K	>0.9	120°	>80	Φ 116*36	Φ 95	535.00	01/40
	2402PL09R CW	9W	6500K	>0.9	120°	>80	Φ 116*36	Φ 95	535.00	01/40
	2402PL12R WW	12W	3000K	>0.9	120°	>80	Φ 166*36	Φ 145	700.00	01/40
	2402PL12R NW	12W	4000K	>0.9	120°	>80	Φ 166*36	Φ 145	700.00	01/40
	2402PL12R CW	12W	6500K	>0.9	120°	>80	Φ 166*36	Φ 145	700.00	01/40
	2402PL15R WW	15W	3000K	>0.9	120°	>80	Φ 166*36	Φ 145	775.00	01/40
	2402PL15R NW	15W	4000K	>0.9	120°	>80	Φ 166*36	Φ 145	775.00	01/40
	2402PL15R CW	15W	6500K	>0.9	120°	>80	Φ 166*36	Φ 145	775.00	01/40
	2402PL18R WW	18W	3000K	>0.9	120°	>80	Φ 220*36	Φ 200	960.00	01/40
	2402PL18R NW	18W	4000K	>0.9	120°	>80	Φ 220*36	Φ 200	960.00	01/40
	2402PL18R CW	18W	6500K	>0.9	120°	>80	Φ 220*36	Φ 200	960.00	01/40
	2402PL22R WW	22W	3000K	>0.9	120°	>80	Φ 220*36	Φ 200	1150.00	01/40
	2402PL22R NW	22W	4000K	>0.9	120°	>80	Φ 220*36	Φ 200	1150.00	01/40
	2402PL22R CW	22W	6500K	>0.9	120°	>80	Φ 220*36	Φ 200	1150.00	01/40
KARIS PANEL LIGHT-SQUARE										
	2402PL03S WW	3W	3000K	>0.5	120°	>80	82*82*36	60*60	350.00	01/60
	2402PL03S NW	3W	4000K	>0.5	120°	>80	82*82*36	60*60	350.00	01/60
	2402PL03S CW	3W	6500K	>0.5	120°	>80	82*82*36	60*60	350.00	01/60
	2402PL06S WW	6W	3000K	>0.9	120°	>80	116*116*36	95*95	450.00	01/40
	2402PL06S NW	6W	4000K	>0.9	120°	>80	116*116*36	95*95	450.00	01/40
	2402PL06S CW	6W	6500K	>0.9	120°	>80	116*116*36	95*95	450.00	01/40
	2402PL09S WW	9W	3000K	>0.9	120°	>80	116*116*36	95*95	535.00	01/40
	2402PL09S NW	9W	4000K	>0.9	120°	>80	116*116*36	95*95	535.00	01/40
	2402PL09S CW	9W	6500K	>0.9	120°	>80	116*116*36	95*95	535.00	01/40
	2402PL12S WW	12W	3000K	>0.9	120°	>80	166*166*36	145*145	700.00	01/40
	2402PL12S NW	12W	4000K	>0.9	120°	>80	166*166*36	145*145	700.00	01/40
	2402PL12S CW	12W	6500K	>0.9	120°	>80	166*166*36	145*145	700.00	01/40
	2402PL15S WW	15W	3000K	>0.9	120°	>80	166*166*36	145*145	775.00	01/40
	2402PL15S NW	15W	4000K	>0.9	120°	>80	166*166*36	145*145	775.00	01/40
	2402PL15S CW	15W	6500K	>0.9	120°	>80	166*166*36	145*145	775.00	01/40
	2402PL18S WW	18W	3000K	>0.9	120°	>80	220*220*36	200*200	960.00	01/40
	2402PL18S NW	18W	4000K	>0.9	120°	>80	220*220*36	200*200	960.00	01/40
	2402PL18S CW	18W	6500K	>0.9	120°	>80	220*220*36	200*200	960.00	01/40
	2402PL22S WW	22W	3000K	>0.9	120°	>80	220*220*36	200*200	1150.00	01/40
	2402PL22S NW	22W	4000K	>0.9	120°	>80	220*220*36	200*200	1150.00	01/40
	2402PL22S CW	22W	6500K	>0.9	120°	>80	220*220*36	2008200	1150.00	01/40

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI















ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KARIS SURFACE PANEL LIGHT-ROUND									
	2403PL06R WW	6W	3000K	>0.9	120°	>80	Φ 116*36	550.00	01/40
	2403PL06R NW	6W	4000K	>0.9	120°	>80	Φ 116*36	550.00	01/40
	2403PL06R CW	6W	6500K	>0.9	120°	>80	Φ 116*36	550.00	01/40
	2403PL09R WW	9W	3000K	>0.9	120°	>80	Φ 116*36	695.00	01/40
	2403PL09R NW	9W	4000K	>0.9	120°	>80	Φ 116*36	695.00	01/40
	2403PL09R CW	9W	6500K	>0.9	120°	>80	Φ 116*36	695.00	01/40
	2403PL12R WW	12W	3000K	>0.9	120°	>80	Φ 166*36	820.00	01/40
	2403PL12R NW	12W	4000K	>0.9	120°	>80	Φ 166*36	820.00	01/40
	2403PL12R CW	12W	6500K	>0.9	120°	>80	Φ 166*36	820.00	01/40
	2403PL15R WW	15W	3000K	>0.9	120°	>80	Φ 166*36	930.00	01/40
	2403PL15R NW	15W	4000K	>0.9	120°	>80	Φ 166*36	930.00	01/40
	2403PL15R CW	15W	6500K	>0.9	120°	>80	Φ 166*36	930.00	01/40
	2403PL18R WW	18W	3000K	>0.9	120°	>80	Φ 220*36	1180.00	01/40
	2403PL18R NW	18W	4000K	>0.9	120°	>80	Φ 220*36	1180.00	01/40
	2403PL18R CW	18W	6500K	>0.9	120°	>80	Φ 220*36	1180.00	01/40
	2403PL22R WW	22W	3000K	>0.9	120°	>80	Φ 220*36	1460.00	01/40
	2403PL22R NW	22W	4000K	>0.9	120°	>80	Φ 220*36	1460.00	01/40
	2403PL22R CW	22W	6500K	>0.9	120°	>80	Φ 220*36	1460.00	01/40
KARIS SURFACE PANEL LIGHT-SQUARE									
	2403PL06S WW	6W	3000K	>0.9	120°	>80	116*116*36	550.00	01/40
	2403PL06S NW	6W	4000K	>0.9	120°	>80	116*116*36	550.00	01/40
	2403PL06S CW	6W	6500K	>0.9	120°	>80	116*116*36	550.00	01/40
	2403PL09S WW	9W	3000K	>0.9	120°	>80	116*116*36	695.00	01/40
	2403PL09S NW	9W	4000K	>0.9	120°	>80	116*116*36	695.00	01/40
	2403PL09S CW	9W	6500K	>0.9	120°	>80	116*116*36	695.00	01/40
	2403PL12S WW	12W	3000K	>0.9	120°	>80	166*166*36	820.00	01/40
	2403PL12S NW	12W	4000K	>0.9	120°	>80	166*166*36	820.00	01/40
	2403PL12S CW	12W	6500K	>0.9	120°	>80	166*166*36	820.00	01/40
	2403PL15S WW	15W	3000K	>0.9	120°	>80	166*166*36	930.00	01/40
	2403PL15S NW	15W	4000K	>0.9	120°	>80	166*166*36	930.00	01/40
	2403PL15S CW	15W	6500K	>0.9	120°	>80	166*166*36	930.00	01/40
	2403PL18S WW	18W	3000K	>0.9	120°	>80	220*220*36	1180.00	01/40
	2403PL18S NW	18W	4000K	>0.9	120°	>80	220*220*36	1180.00	01/40
	2403PL18S CW	18W	6500K	>0.9	120°	>80	220*220*36	1180.00	01/40
	2403PL22S WW	22W	3000K	>0.9	120°	>80	220*220*36	1460.00	01/40
	2403PL22S NW	22W	4000K	>0.9	120°	>80	220*220*36	1460.00	01/40
	2403PL22S CW	22W	6500K	>0.9	120°	>80	220*220*36	1460.00	01/40

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

NATURAL WHITE

WARM WHITE

COOL WHITE



3-IN-1 COLOUR
CHANGING

KARIStrio

PANEL LIGHT

This 3-in-1 LED panel light is thoughtfully designed to turn your spaces into different moods. Offering an ideal setting for each occasion, these stunning pieces of accessories will give your interiors a touch of radiance that's unmatched.

Changes colour by clicking the switch OFF & ON



KARIS trio

PANEL LIGHT



3-IN-1 COLOUR
CHANGING

SHINING
A LIGHT ON
INNOVATION.



Complement different shades of your mood with cool, warm and natural white lights with Karis Trio LED panels. Aesthetically designed to uplift your spaces, these panels are fluctuation proof and provide a wide beam angle. While these stay lit for amazingly long hours, they are suitable for both residential and commercial spaces.

3-in-1 Colour Changing Light Available in 6W, 9W, 12W & 15W

Changes colour
by clicking the switch
OFF & ON

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack		
KARIS TRIO 3-IN-1 COLOUR CHANGING PANEL LIGHT-ROUND												NEW
	2402PL06R (3-in-1)	6W	3000K 4000K 6500K	>0.9	120°	>80	Φ 116*36	Φ 95	520.00	01/40		
	2402PL09R (3-in-1)	9W	3000K 4000K 6500K	>0.9	120°	>80	Φ 116*36	Φ 95	640.00	01/40		
	2402PL12R (3-in-1)	12W	3000K 4000K 6500K	>0.9	120°	>80	Φ 172*38	Φ 146	840.00	01/40		
	2402PL15R (3-in-1)	15W	3000K 4000K 6500K	>0.9	120°	>80	Φ 172*38	Φ 146	900.00	01/40		
KARIS TRIO 3-IN-1 COLOUR CHANGING PANEL LIGHT-SQUARE												NEW
	2402PL06S (3-in-1)	6W	3000K 4000K 6500K	>0.9	120°	>80	116*116*36	95*95	520.00	01/40		
	2402PL09S (3-in-1)	9W	3000K 4000K 6500K	>0.9	120°	>80	116*116*36	95*95	640.00	01/40		
	2402PL12S (3-in-1)	12W	3000K 4000K 6500K	>0.9	120°	>80	172*172*38	146*146	840.00	01/40		
	2402PL15S (3-in-1)	15W	3000K 4000K 6500K	>0.9	120°	>80	172*172*38	146*146	900.00	01/40		
KARIS TRIO 3-IN-1 COLOUR CHANGING SURFACE PANEL LIGHT-ROUND												NEW
	2403PL06R (3-in-1)	6W	3000K 4000K 6500K	>0.9	120°	>80	Φ 116*36	-	630.00	01/40		
	2403PL09R (3-in-1)	9W	3000K 4000K 6500K	>0.9	120°	>80	Φ 116*36	-	765.00	01/40		
	2403PL12R (3-in-1)	12W	3000K 4000K 6500K	>0.9	120°	>80	Φ 166*36	-	970.00	01/40		
	2403PL15R (3-in-1)	15W	3000K 4000K 6500K	>0.9	120°	>80	Φ 166*36	-	1035.00	01/40		
KARIS TRIO 3-IN-1 COLOUR CHANGING SURFACE PANEL LIGHT-SQUARE												NEW
	2403PL06S (3-in-1)	6W	3000K 4000K 6500K	>0.9	120°	>80	116*116*36	-	630.00	01/40		
	2403PL09S (3-in-1)	9W	3000K 4000K 6500K	>0.9	120°	>80	116*116*36	-	765.00	01/40		
	2403PL12S (3-in-1)	12W	3000K 4000K 6500K	>0.9	120°	>80	166*166*36	-	970.00	01/40		
	2403PL15S (3-in-1)	15W	3000K 4000K 6500K	>0.9	120°	>80	166*166*36	-	1035.00	01/40		

All dimensions in mm

KEETO
PANEL LIGHT








LUMINANCE
THAT LEAVES YOU
SPELLBOUND.










Aluminium
Body



Contemporary, stylish and smart these are an ideal fit for every modern space. Made to cater to a range of requirements, these let you embrace a brighter world with no compromise on style. Its uniform and consistent brightness makes it suitable for indoor application. High on energy efficiency, these aluminium panel lights have a long life and are optimally safe.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KEETO SLIM ALUMINIUM RECESSED PANEL LIGHT-ROUND										
	NEW 2204PL03R WW	3W	3000K	>0.9	120°	>80	Φ 85*24	Φ 75	370.00	01/40
	2204PL03R NW	3W	4000K	>0.9	120°	>80	Φ 85*24	Φ 75	370.00	01/40
	2204PL03R CW	3W	6500K	>0.9	120°	>80	Φ 85*24	Φ 75	370.00	01/40
	2204PL06R WW	6W	3000K	>0.9	120°	>80	Φ 120*24	Φ 105	480.00	01/40
	2204PL06R NW	6W	4000K	>0.9	120°	>80	Φ 120*24	Φ 105	480.00	01/40
	2204PL06R CW	6W	6500K	>0.9	120°	>80	Φ 120*24	Φ 105	480.00	01/40
	2204PL09R WW	9W	3000K	>0.9	120°	>80	Φ 120*24	Φ 105	615.00	01/40
	2204PL09R NW	9W	4000K	>0.9	120°	>80	Φ 120*24	Φ 105	615.00	01/40
	2204PL09R CW	9W	6500K	>0.9	120°	>80	Φ 120*24	Φ 105	615.00	01/40
	2204PL12R WW	12W	3000K	>0.9	120°	>80	Φ 170*24	Φ 153	740.00	01/20
	2204PL12R NW	12W	4000K	>0.9	120°	>80	Φ 170*24	Φ 153	740.00	01/20
	2204PL12R CW	12W	6500K	>0.9	120°	>80	Φ 170*24	Φ 153	740.00	01/20
	2204PL15R WW	15W	3000K	>0.9	120°	>80	Φ 170*24	Φ 153	850.00	01/20
	2204PL15R NW	15W	4000K	>0.9	120°	>80	Φ 170*24	Φ 153	850.00	01/20
	2204PL15R CW	15W	6500K	>0.9	120°	>80	Φ 170*24	Φ 153	850.00	01/20
	2204PL18R WW	18W	3000K	>0.9	120°	>80	Φ 225*24	Φ 205	1020.00	01/20
	2204PL18R NW	18W	4000K	>0.9	120°	>80	Φ 225*24	Φ 205	1020.00	01/20
	2204PL18R CW	18W	6500K	>0.9	120°	>80	Φ 225*24	Φ 205	1020.00	01/20
	2204PL22R WW	22W	3000K	>0.9	120°	>80	Φ 225*24	Φ 205	1275.00	01/20
	2204PL22R NW	22W	4000K	>0.9	120°	>80	Φ 225*24	Φ 205	1275.00	01/20
	2204PL22R CW	22W	6500K	>0.9	120°	>80	Φ 225*24	Φ 205	1275.00	01/20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KEETO SLIM ALUMINIUM RECESSED PANEL LIGHT-SQUARE										
	NEW 2204PL03S WW	3W	3000K	>0.9	120°	>80	85*85*24	75*75	370.00	01/40
	2204PL03S NW	3W	4000K	>0.9	120°	>80	85*85*24	75*75	370.00	01/40
	2204PL03S CW	3W	6500K	>0.9	120°	>80	85*85*24	75*75	370.00	01/40
	2204PL06S WW	6W	3000K	>0.9	120°	>80	120*120*24	105*105	480.00	01/40
	2204PL06S NW	6W	4000K	>0.9	120°	>80	120*120*24	105*105	480.00	01/40
	2204PL06S CW	6W	6500K	>0.9	120°	>80	120*120*24	105*105	480.00	01/40
	2204PL09S WW	9W	3000K	>0.9	120°	>80	120*120*24	105*105	615.00	01/40
	2204PL09S NW	9W	4000K	>0.9	120°	>80	120*120*24	105*105	615.00	01/40
	2204PL09S CW	9W	6500K	>0.9	120°	>80	120*120*24	105*105	615.00	01/40
	2204PL12S WW	12W	3000K	>0.9	120°	>80	170*170*24	153*153	740.00	01/20
	2204PL12S NW	12W	4000K	>0.9	120°	>80	170*170*24	153*153	740.00	01/20
	2204PL12S CW	12W	6500K	>0.9	120°	>80	170*170*24	153*153	740.00	01/20
	2204PL15S WW	15W	3000K	>0.9	120°	>80	170*170*24	153*153	850.00	01/20
	2204PL15S NW	15W	4000K	>0.9	120°	>80	170*170*24	153*153	850.00	01/20
	2204PL15S CW	15W	6500K	>0.9	120°	>80	170*170*24	153*153	850.00	01/20
	2204PL18S WW	18W	3000K	>0.9	120°	>80	225*225*24	205*205	1020.00	01/20
	2204PL18S NW	18W	4000K	>0.9	120°	>80	225*225*24	205*205	1020.00	01/20
	2204PL18S CW	18W	6500K	>0.9	120°	>80	225*225*24	205*205	1020.00	01/20
	2204PL22S WW	22W	3000K	>0.9	120°	>80	225*225*24	205*205	1275.00	01/20
	2204PL22S NW	22W	4000K	>0.9	120°	>80	225*225*24	205*205	1275.00	01/20
	2204PL22S CW	22W	6500K	>0.9	120°	>80	225*225*24	205*205	1275.00	01/20

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI















ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KEETO SURFACE ALUMINIUM PANEL LIGHT-ROUND									
	2212PL06R WW	6W	3000K	>0.9	120°	>80	Φ 120*35	585.00	01/40
	2212PL06R NW	6W	4000K	>0.9	120°	>80	Φ 120*35	585.00	01/40
	2212PL06R CW	6W	6500K	>0.9	120°	>80	Φ 120*35	585.00	01/40
	2212PL09R WW	9W	3000K	>0.9	120°	>80	Φ 120*35	740.00	01/40
	2212PL09R NW	9W	4000K	>0.9	120°	>80	Φ 120*35	740.00	01/40
	2212PL09R CW	9W	6500K	>0.9	120°	>80	Φ 120*35	740.00	01/40
	2212PL12R WW	12W	3000K	>0.9	120°	>80	Φ 170*35	870.00	01/20
	2212PL12R NW	12W	4000K	>0.9	120°	>80	Φ 170*35	870.00	01/20
	2212PL12R CW	12W	6500K	>0.9	120°	>80	Φ 170*35	870.00	01/20
	2212PL15R WW	15W	3000K	>0.9	120°	>80	Φ 170*35	985.00	01/20
	2212PL15R NW	15W	4000K	>0.9	120°	>80	Φ 170*35	985.00	01/20
	2212PL15R CW	15W	6500K	>0.9	120°	>80	Φ 170*35	985.00	01/20
	2212PL18R WW	18W	3000K	>0.9	120°	>80	Φ 225*35	1255.00	01/20
	2212PL18R NW	18W	4000K	>0.9	120°	>80	Φ 225*35	1255.00	01/20
	2212PL18R CW	18W	6500K	>0.9	120°	>80	Φ 225*35	1255.00	01/20
	2212PL22R WW	22W	3000K	>0.9	120°	>80	Φ 225*35	1550.00	01/20
	2212PL22R NW	22W	4000K	>0.9	120°	>80	Φ 225*35	1550.00	01/20
	2212PL22R CW	22W	6500K	>0.9	120°	>80	Φ 225*35	1550.00	01/20
KEETO SURFACE ALUMINIUM PANEL LIGHT-SQUARE									
	2212PL06S WW	6W	3000K	>0.9	120°	>80	120*120*35	585.00	01/40
	2212PL06S NW	6W	4000K	>0.9	120°	>80	120*120*35	585.00	01/40
	2212PL06S CW	6W	6500K	>0.9	120°	>80	120*120*35	585.00	01/40
	2212PL09S WW	9W	3000K	>0.9	120°	>80	120*120*35	740.00	01/40
	2212PL09S NW	9W	4000K	>0.9	120°	>80	120*120*35	740.00	01/40
	2212PL09S CW	9W	6500K	>0.9	120°	>80	120*120*35	740.00	01/40
	2212PL12S WW	12W	3000K	>0.9	120°	>80	170*170*35	870.00	01/20
	2212PL12S NW	12W	4000K	>0.9	120°	>80	170*170*35	870.00	01/20
	2212PL12S CW	12W	6500K	>0.9	120°	>80	170*170*35	870.00	01/20
	2212PL15S WW	15W	3000K	>0.9	120°	>80	170*170*35	985.00	01/20
	2212PL15S NW	15W	4000K	>0.9	120°	>80	170*170*35	985.00	01/20
	2212PL15S CW	15W	6500K	>0.9	120°	>80	170*170*35	985.00	01/20
	2212PL18S WW	18W	3000K	>0.9	120°	>80	225*225*35	1255.00	01/20
	2212PL18S NW	18W	4000K	>0.9	120°	>80	225*225*35	1255.00	01/20
	2212PL18S CW	18W	6500K	>0.9	120°	>80	225*225*35	1255.00	01/20
	2212PL22S WW	22W	3000K	>0.9	120°	>80	225*225*35	1550.00	01/20
	2212PL22S NW	22W	4000K	>0.9	120°	>80	225*225*35	1550.00	01/20
	2212PL22S CW	22W	6500K	>0.9	120°	>80	225*225*35	1550.00	01/20

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI





ENERGY SAVER




MAINTENANCE FREE










ZERO MERCURY

Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KEETO NEO SLIM ALUMINIUM RECESSED PANEL LIGHT-ROUND										
	2241PL12R WW	12W	3000K	>0.9	120°	>80	Φ 144*23	Φ 131	740.00	01/20
	2241PL12R NW	12W	4000K	>0.9	120°	>80	Φ 144*23	Φ 131	740.00	01/20
	2241PL12R CW	12W	6500K	>0.9	120°	>80	Φ 144*23	Φ 131	740.00	01/20
	2241PL18R WW	18W	3000K	>0.9	120°	>80	Φ 189*23	Φ 176	1020.00	01/20
	2241PL18R NW	18W	4000K	>0.9	120°	>80	Φ 189*23	Φ 176	1020.00	01/20
	2241PL18R CW	18W	6500K	>0.9	120°	>80	Φ 189*23	Φ 176	1020.00	01/20

NEW

Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KEETO NEO SLIM ALUMINIUM RECESSED PANEL LIGHT-SQUARE										
	2241PL12S WW	12W	3000K	>0.9	120°	>80	144*144*23	131*131	740.00	01/20
	2241PL12S NW	12W	4000K	>0.9	120°	>80	144*144*23	131*131	740.00	01/20
	2241PL12S CW	12W	6500K	>0.9	120°	>80	144*144*23	131*131	740.00	01/20
	2241PL18S WW	18W	3000K	>0.9	120°	>80	189*189*23	176*176	1020.00	01/20
	2241PL18S NW	18W	4000K	>0.9	120°	>80	189*189*23	176*176	1020.00	01/20
	2241PL18S CW	18W	6500K	>0.9	120°	>80	189*189*23	176*176	1020.00	01/20

NEW

Code	Power In	Model Name	MRP ₹/U	Pack	
KEETO DRIVER					
	2204DR03	3W	LED Driver 3W	240.00	05
	2204DR06	6W	LED Driver 6W	255.00	05
	2204DR09	9W	LED Driver 9W	300.00	05
	2204DR12	12W	LED Driver 12W	300.00	05
	2204DR15	15W	LED Driver 15W	385.00	05
	2204DR18	18W	LED Driver 18W	385.00	05
	2204DR22	22W	LED Driver 22W	490.00	05

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

LET YOUR IMAGINATION
CHASE THE SKY.





KEETO

PANEL LIGHT

BOUNDLESS
ILLUMINATION,
COMPACT FINISH.



Stylish, stunning and ultra-modern, these panels illuminate your spaces uniformly and efficiently. Made to cater to a range of requirements, these add a dash of warmth to your interiors making them look bright and inviting. Ideally suited for commercial and industrial applications.



Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
------	-------	-------------	--------------	------------	-----	-----------	---------	------

KEETO BACKLIT SLIM PANEL-SQUARE



2204PL40S WW	40W	3000K	>0.9	120°	>80	600*600*30	2800.00	01/06
2204PL40S NW	40W	4000K	>0.9	120°	>80	600*600*30	2800.00	01/06
2204PL40S CW	40W	6500K	>0.9	120°	>80	600*600*30	2800.00	01/06

Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
------	-------	-------------	--------------	------------	-----	-----------	---------	------

KEETO BACKLIT SLIM SURFACE PANEL-SQUARE



2212PL40S WW	40W	3000K	>0.9	120°	>80	600*600*60	3600.00	01/06
2212PL40S NW	40W	4000K	>0.9	120°	>80	600*600*60	3600.00	01/06
2212PL40S CW	40W	6500K	>0.9	120°	>80	600*600*60	3600.00	01/06

NEW

Code	Power In	Model Name	MRP ₹/U	Pack
------	----------	------------	---------	------

KEETO BACKLIT SLIM PANEL DRIVER



2204DR40	40W	LED Driver 40W	860.00	05
----------	-----	----------------	--------	----

Code	Model Name	MRP ₹/U	Pack
------	------------	---------	------

KEETO BACKLIT SLIM PANEL CLAMP



2204CL40	Clamp for 40W	170.00	01
----------	---------------	--------	----

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

Introducing

KONGO

SLIM SURFACE ALUMINIUM
PANEL LIGHT

ELEVATE EVERY
AMBIENCE.



Designed to transform any space into a captivating and vibrant environment, these lights offer an unparalleled lighting experience that will elevate your surroundings to new heights of sophistication.



Aluminium
Body



Detachable
Driver









Superior Surge
Protection



Beam
Angle



Wide voltage
range 100-300V

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KONGO SLIM SURFACE ALUMINIUM PANEL LIGHT-ROUND									
	2243PL08R WW	8W	3000K	>0.9	120°	>80	Φ 108*27	700.00	01/40
	2243PL08R NW	8W	4000K	>0.9	120°	>80	Φ 108*27	700.00	01/40
	2243PL08R CW	8W	6500K	>0.9	120°	>80	Φ 108*27	700.00	01/40
	2243PL15R WW	15W	3000K	>0.9	120°	>80	Φ 155*27	925.00	01/20
	2243PL15R NW	15W	4000K	>0.9	120°	>80	Φ 155*27	925.00	01/20
	2243PL15R CW	15W	6500K	>0.9	120°	>80	Φ 155*27	925.00	01/20
	2243PL22R WW	22W	3000K	>0.9	120°	>80	Φ 200*27	1395.00	01/20
	2243PL22R NW	22W	4000K	>0.9	120°	>80	Φ 200*27	1395.00	01/20
	2243PL22R CW	22W	6500K	>0.9	120°	>80	Φ 200*27	1395.00	01/20
KONGO SLIM SURFACE ALUMINIUM PANEL LIGHT-SQUARE									
	2243PL08S WW	8W	3000K	>0.9	120°	>80	108*108*27	700.00	01/40
	2243PL08S NW	8W	4000K	>0.9	120°	>80	108*108*27	700.00	01/40
	2243PL08S CW	8W	6500K	>0.9	120°	>80	108*108*27	700.00	01/40
	2243PL15S WW	15W	3000K	>0.9	120°	>80	155*155*27	925.00	01/20
	2243PL15S NW	15W	4000K	>0.9	120°	>80	155*155*27	925.00	01/20
	2243PL15S CW	15W	6500K	>0.9	120°	>80	155*155*27	925.00	01/20
	2243PL22S WW	22W	3000K	>0.9	120°	>80	200*200*27	1395.00	01/20
	2243PL22S NW	22W	4000K	>0.9	120°	>80	200*200*27	1395.00	01/20
	2243PL22S CW	22W	6500K	>0.9	120°	>80	200*200*27	1395.00	01/20

NEW

NEW

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Introducing

NOVVA

PANEL LIGHT



EXPERIENCE
LED PANEL
LIGHTING
LIKE NEVER
BEFORE.




Discover the amazing possibilities of LED panel lighting with our innovative and stylish products. Whether you want to create a modern, elegant, or cozy ambience, we have the perfect solution for you. Our LED panel lights are energy-saving and long-lasting, offering you a range of colors, shapes, and sizes.

Introducing

Bling

PANEL LIGHT

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
NOVVA PANEL LIGHT-ROUND											
	2239PL06R CGBP	6W	6500K/GBP	>0.9	120°	>80	Φ 147*30	Φ 110	540.00	01/40	NEW
	2239PL12R CGBP	12W	6500K/GBP	>0.9	120°	>80	Φ 196*30	Φ 160	800.00	01/20	
NOVVA PANEL LIGHT-SQUARE											
	2239PL06S CGBP	6W	6500K/GBP	>0.9	120°	>80	147*147*30	110*110	540.00	01/40	NEW
	2239PL12S CGBP	12W	6500K/GBP	>0.9	120°	>80	196*196*30	160*160	800.00	01/20	
BLING PANEL LIGHT (RIMLESS)-ROUND											
	2240PL12R WW	12W	3000K	>0.9	120°	>80	Φ115*38	Φ 60-105	640.00	01/40	NEW
	2240PL12R NW	12W	4000K	>0.9	120°	>80	Φ115*38	Φ 60-105	640.00	01/40	
	2240PL12R CW	12W	6500K	>0.9	120°	>80	Φ115*38	Φ 60-105	640.00	01/40	
	2240PL18R WW	18W	3000K	>0.9	120°	>80	Φ165*38	Φ 60-150	895.00	01/20	NEW
	2240PL18R NW	18W	4000K	>0.9	120°	>80	Φ165*38	Φ 60-150	895.00	01/20	
	2240PL18R CW	18W	6500K	>0.9	120°	>80	Φ165*38	Φ 60-150	895.00	01/20	
BLING PANEL LIGHT (RIMLESS)-SQUARE											
	2240PL12S WW	12W	3000K	>0.9	120°	>80	115*115*38	Φ 60-105	640.00	01/40	NEW
	2240PL12S NW	12W	4000K	>0.9	120°	>80	115*115*38	Φ 60-105	640.00	01/40	
	2240PL12S CW	12W	6500K	>0.9	120°	>80	115*115*38	Φ 60-105	640.00	01/40	
	2240PL18S WW	18W	3000K	>0.9	120°	>80	165*165*38	Φ 60-150	895.00	01/20	NEW
	2240PL18S NW	18W	4000K	>0.9	120°	>80	165*165*38	Φ 60-150	895.00	01/20	
	2240PL18S CW	18W	6500K	>0.9	120°	>80	165*165*38	Φ 60-150	895.00	01/20	

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Introducing

KROWN

SURFACE PANEL LIGHT



Minimal
Surface Height



In-built
Driver



Superior Surge
Protection











Voltage range
190-250V



LIGHT THAT'S AS DYNAMIC
AS YOUR IMAGINATION.

Experience a new level of sophistication crafted to seamlessly blend style and efficiency. With its modern design and advanced LED technology, this lighting solution redefines how you illuminate your surroundings.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack
KROWN SLIM SURFACE PANEL LIGHT-ROUND									
	2237PL06R WW	6W	3000K	>0.9	180°	>80	Φ 91*27	425.00	01/40
	2237PL06R NW	6W	4000K	>0.9	180°	>80	Φ 91*27	425.00	01/40
	2237PL06R CW	6W	6500K	>0.9	180°	>80	Φ 91*27	425.00	01/40
	2237PL06R CRGB	6W	6500K/RGB	>0.9	180°	>80	Φ 91*27	475.00	01/40
	2237PL12R WW	12W	3000K	>0.9	180°	>80	Φ 120*27	680.00	01/40
	2237PL12R NW	12W	4000K	>0.9	180°	>80	Φ 120*27	680.00	01/40
	2237PL12R CW	12W	6500K	>0.9	180°	>80	Φ 120*27	680.00	01/40
	2237PL12R CRGB	12W	6500K/RGB	>0.9	180°	>80	Φ 120*27	745.00	01/40
	2237PL18R WW	18W	3000K	>0.9	180°	>80	Φ 155*27	935.00	01/20
	2237PL18R NW	18W	4000K	>0.9	180°	>80	Φ 155*27	935.00	01/20
	2237PL18R CW	18W	6500K	>0.9	180°	>80	Φ 155*27	935.00	01/20
	2237PL24R WW	24W	3000K	>0.9	180°	>80	Φ 192*27	1275.00	01/20
	2237PL24R NW	24W	4000K	>0.9	180°	>80	Φ 192*27	1275.00	01/20
	2237PL24R CW	24W	6500K	>0.9	180°	>80	Φ 192*27	1275.00	01/20
KROWN SLIM SURFACE PANEL LIGHT-SQUARE									
	2237PL06S WW	6W	3000K	>0.9	180°	>80	91*91*27	425.00	01/40
	2237PL06S NW	6W	4000K	>0.9	180°	>80	91*91*27	425.00	01/40
	2237PL06S CW	6W	6500K	>0.9	180°	>80	91*91*27	425.00	01/40
	2237PL06S CRGB	6W	6500K/RGB	>0.9	180°	>80	91*91*27	475.00	01/40
	2237PL12S WW	12W	3000K	>0.9	180°	>80	120*120*27	680.00	01/40
	2237PL12S NW	12W	4000K	>0.9	180°	>80	120*120*27	680.00	01/40
	2237PL12S CW	12W	6500K	>0.9	180°	>80	120*120*27	680.00	01/40
	2237PL12S CRGB	12W	6500K/RGB	>0.9	180°	>80	120*120*27	745.00	01/40
	2237PL18S WW	18W	3000K	>0.9	180°	>80	155*155*27	935.00	01/20
	2237PL18S NW	18W	4000K	>0.9	180°	>80	155*155*27	935.00	01/20
	2237PL18S CW	18W	6500K	>0.9	180°	>80	155*155*27	935.00	01/20
	2237PL24S WW	24W	3000K	>0.9	180°	>80	192*192*27	1275.00	01/20
	2237PL24S NW	24W	4000K	>0.9	180°	>80	192*192*27	1275.00	01/20
	2237PL24S CW	24W	6500K	>0.9	180°	>80	192*192*27	1275.00	01/20

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY



KARIS








DOWN LIGHT

INNOVATION
THAT
COMPLEMENTS
YOUR TASTE.



This innovatively designed variant of Karis Downlight offers enhanced voltage range and comes with 4KV surge protection. A step ahead in its aesthetics and functions, these lights suit every interior style. Karis Downlight products are perfected with unsurpassed excellence to reflect your fine choice.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARIS DOWNLIGHT-ROUND										
	2402DL03R WW	3W	3000K	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	320.00	01/60
	2402DL03R NW	3W	4000K	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	320.00	01/60
	2402DL03R CW	3W	6500K	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	320.00	01/60
	2402DL03R RD	3W	Red	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	320.00	01/60
	2402DL03R GN	3W	Green	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	320.00	01/60
	2402DL03R BE	3W	Blue	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	320.00	01/60
	2402DL03R PK	3W	Pink	>0.5	120°	>80	Φ 102*51.5	Φ 55-65	320.00	01/60
	2402DL05R WW	5W	3000K	>0.9	120°	>80	Φ 110*42	Φ 75	495.00	01/40
	2402DL05R NW	5W	4000K	>0.9	120°	>80	Φ 110*42	Φ 75	495.00	01/40
	2402DL05R CW	5W	6500K	>0.9	120°	>80	Φ 110*42	Φ 75	495.00	01/40
	2402DL05R RD	5W	Red	>0.9	120°	>80	Φ 110*42	Φ 75	495.00	01/40
	NEW 2402DL05R GN	5W	Green	>0.9	120°	>80	Φ 110*42	Φ 75	495.00	01/40
	2402DL05R BE	5W	Blue	>0.9	120°	>80	Φ 110*42	Φ 75	495.00	01/40
	2402DL05R PK	5W	Pink	>0.9	120°	>80	Φ 110*42	Φ 75	495.00	01/40
	2402DL09R WW	9W	3000K	>0.9	120°	>80	Φ 110*42	Φ 75	595.00	01/40
	2402DL09R NW	9W	4000K	>0.9	120°	>80	Φ 110*42	Φ 75	595.00	01/40
	2402DL09R CW	9W	6500K	>0.9	120°	>80	Φ 110*42	Φ 75	595.00	01/40
	2402DL09R RD	9W	Red	>0.9	120°	>80	Φ 110*42	Φ 75	595.00	01/40
	NEW 2402DL09R GN	9W	Green	>0.9	120°	>80	Φ 110*42	Φ 75	595.00	01/40
	2402DL09R BE	9W	Blue	>0.9	120°	>80	Φ 110*42	Φ 75	595.00	01/40
	2402DL09R PK	9W	Pink	>0.9	120°	>80	Φ 110*42	Φ 75	595.00	01/40
KARIS TRIO DOWNLIGHT-ROUND										
	2402DL05R 3-in-1	5W	3000K 4000K 6500K	>0.9	120°	>80	Φ 110*42	Φ 75	510.00	01/40
	NEW 2402DL05R RBP	5W	Red Blue Pink	>0.9	120°	>80	Φ 110*42	Φ 75	525.00	01/40

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Kutē | Klair

CLASS THAT
REFLECTS
SHEER FLAIR.



Crafted to offer optimum and efficient brightness, these are best suitable to be used indoors. The sturdy body makes it durable while its cutting-edge technology makes it energy-efficient and long-lasting. The use of the finest materials and absolute precision in conceiving the product ensures uniform and consistent brightness.





Klair

DOWN LIGHT



ELEVATE YOUR SPACE WITH LED SURFACE DOWNLIGHTS.











Enhance the appearance and ambiance of your spaces with our LED surface downlights. Our LED surface downlights are slim, sleek, and maintenance-free, offering you a stunning and hassle-free lighting experience. These are also eco-friendly, mercury-free, and energy-efficient, saving you money and the environment.

Introducing

KANDID

SURFACE DOWN LIGHT



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KUTE SURFACE LIGHT											
	2408PL03R WW	3W	3000K	>0.9	120°	>80	Φ 68.5*13	-	175.00	20/200	
	2408PL03R NW	3W	4000K	>0.9	120°	>80	Φ 68.5*13	-	175.00	20/200	
	2408PL03R CW	3W	6500K	>0.9	120°	>80	Φ 68.5*13	-	175.00	20/200	
	2408PL03R RD	3W	Red	>0.9	120°	>80	Φ 68.5*13	-	175.00	20/200	
	2408PL03R GN	3W	Green	>0.9	120°	>80	Φ 68.5*13	-	175.00	20/200	
	2408PL03R BE	3W	Blue	>0.9	120°	>80	Φ 68.5*13	-	175.00	20/200	
	2408PL03R PK	3W	Pink	>0.9	120°	>80	Φ 68.5*13	-	175.00	20/200	
KUTE SURFACE LIGHT BLACK											
	2408PL03R B WW	3W	3000K	>0.9	120°	>80	Φ 68.5*13	-	215.00	20/200	
	2408PL03R B NW	3W	4000K	>0.9	120°	>80	Φ 68.5*13	-	215.00	20/200	
	2408PL03R B CW	3W	6500K	>0.9	120°	>80	Φ 68.5*13	-	215.00	20/200	
	2408PL03R B RD	3W	Red	>0.9	120°	>80	Φ 68.5*13	-	215.00	20/200	
	2408PL03R B GN	3W	Green	>0.9	120°	>80	Φ 68.5*13	-	215.00	20/200	
	2408PL03R B BE	3W	Blue	>0.9	120°	>80	Φ 68.5*13	-	215.00	20/200	
	2408PL03R B PK	3W	Pink	>0.9	120°	>80	Φ 68.5*13	-	215.00	20/200	
KLAIR DOWNLIGHT-ROUND											
	2403DL03R WW	3W	3000K	>0.9	120°	>80	Φ 80*33	Φ 62	245.00	01/80	
	2403DL03R NW	3W	4000K	>0.9	120°	>80	Φ 80*33	Φ 62	245.00	01/80	
	2403DL03R CW	3W	6500K	>0.9	120°	>80	Φ 80*33	Φ 62	245.00	01/80	
	2403DL03R RD	3W	Red	>0.9	120°	>80	Φ 80*33	Φ 62	245.00	01/80	
	2403DL03R GN	3W	Green	>0.9	120°	>80	Φ 80*33	Φ 62	245.00	01/80	
	2403DL03R BE	3W	Blue	>0.9	120°	>80	Φ 80*33	Φ 62	245.00	01/80	
	2403DL03R PK	3W	Pink	>0.9	120°	>80	Φ 80*33	Φ 62	245.00	01/80	
KLAY JUNCTION BOX DOWNLIGHT-ROUND											
	2424DL03R WW	3W	3000K	>0.9	180°	>80	Φ 74*27	Φ 52	220.00	01/90	
	2424DL03R NW	3W	4000K	>0.9	180°	>80	Φ 74*27	Φ 52	220.00	01/90	
	2424DL03R CW	3W	6500K	>0.9	180°	>80	Φ 74*27	Φ 52	220.00	01/90	
	2424DL03R RD	3W	Red	>0.9	180°	>80	Φ 74*27	Φ 52	220.00	01/90	
	2424DL03R GN	3W	Green	>0.9	180°	>80	Φ 74*27	Φ 52	220.00	01/90	
	2424DL03R BE	3W	Blue	>0.9	180°	>80	Φ 74*27	Φ 52	220.00	01/90	
	2424DL03R PK	3W	Pink	>0.9	180°	>80	Φ 74*27	Φ 52	220.00	01/90	
KANDID SURFACE DOWN LIGHT											
	2238DL07R WW	7W	3000K	>0.9	120°	>80	Φ 85*45	-	595.00	01/60	
	2238DL07R NW	7W	4000K	>0.9	120°	>80	Φ 85*45	-	595.00	01/60	
	2238DL07R CW	7W	6500K	>0.9	120°	>80	Φ 85*45	-	595.00	01/60	
	2238DL10R WW	10W	3000K	>0.9	120°	>80	Φ 110*45	-	725.00	01/40	
	2238DL10R NW	10W	4000K	>0.9	120°	>80	Φ 110*45	-	725.00	01/40	
	2238DL10R CW	10W	6500K	>0.9	120°	>80	Φ 110*45	-	725.00	01/40	
	2238DL15R WW	15W	3000K	>0.9	120°	>80	Φ 155*45	-	935.00	01/40	
	2238DL15R NW	15W	4000K	>0.9	120°	>80	Φ 155*45	-	935.00	01/40	
	2238DL15R CW	15W	6500K	>0.9	120°	>80	Φ 155*45	-	935.00	01/40	

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY

Introducing

KLIFF

ALUMINIUM DOWN LIGHT

SUPERIOR PERFORMANCE MEETS REFINED DESIGN.

With Kliff downlight, experience the perfect synergy of functionality and aesthetics, ensuring your space is brilliantly lit with a touch of sophistication. Illuminate with confidence, choose Kliff for a lighting solution that surpasses expectations.



Finned Heat Sink*

Suitable for low depth ceiling



Aluminium Die-cast Body



Detachable Driver



Superior Surge Protection



Beam Angle 120°



Wide voltage range 100-300V

*For Better Heat dissipation which results in long life & better results of LED Lights.

Introducing







KLIFF

ALUMINIUM DOWN LIGHT

LIGHT UP HAPPINESS.

Experience brilliant, energy-efficient lighting with Kliff LED lights. Transform your environment with cutting-edge technology and style.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KLIFF DEEP RECESSED ALUMINIUM DOWN LIGHT-ROUND										
	2244DL12R WW	12W	3000K	>0.9	120°	>80	Φ 120*52	Φ 116	990.00	01/20
	2244DL12R NW	12W	4000K	>0.9	120°	>80	Φ 120*52	Φ 116	990.00	01/20
	2244DL12R CW	12W	6500K	>0.9	120°	>80	Φ 120*52	Φ 116	990.00	01/20
	2244DL18R WW	18W	3000K	>0.9	120°	>80	Φ 155*52	Φ 148	1240.00	01/20
	2244DL18R NW	18W	4000K	>0.9	120°	>80	Φ 155*52	Φ 148	1240.00	01/20
	2244DL18R CW	18W	6500K	>0.9	120°	>80	Φ 155*52	Φ 148	1240.00	01/20
	2244DL24R WW	24W	3000K	>0.9	120°	>80	Φ 175*55	Φ 170	1575.00	01/20
	2244DL24R NW	24W	4000K	>0.9	120°	>80	Φ 175*55	Φ 170	1575.00	01/20
	2244DL24R CW	24W	6500K	>0.9	120°	>80	Φ 175*55	Φ 170	1575.00	01/20
KLIFF DEEP RECESSED ALUMINIUM DOWN LIGHT-SQUARE										
	2244DL12S WW	12W	3000K	>0.9	120°	>80	110*110*52	105*105	990.00	01/20
	2244DL12S NW	12W	4000K	>0.9	120°	>80	110*110*52	105*105	990.00	01/20
	2244DL12S CW	12W	6500K	>0.9	120°	>80	110*110*52	105*105	990.00	01/20
	2244DL18S WW	18W	3000K	>0.9	120°	>80	145*145*52	136*136	1240.00	01/20
	2244DL18S NW	18W	4000K	>0.9	120°	>80	145*145*52	136*136	1240.00	01/20
	2244DL18S CW	18W	6500K	>0.9	120°	>80	145*145*52	136*136	1240.00	01/20
	2244DL24S WW	24W	3000K	>0.9	120°	>80	171*171*55	158*158	1575.00	01/20
	2244DL24S NW	24W	4000K	>0.9	120°	>80	171*171*55	158*158	1575.00	01/20
	2244DL24S CW	24W	6500K	>0.9	120°	>80	171*171*55	158*158	1575.00	01/20

NEW

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY



Kutē 2.0 trio

3-IN-1 COLOUR CHANGING
JUNCTION BOX LED LIGHT

INNOVATING TO ELEVATE CONVENIENCE.

Now, no more hassles of changing bulbs and holders,
easy replacement of both with just one product on your
existing junction box.

3-IN-1 Colour Changing Light
(3000K, 4000K & 6500K)
Available in 7W

Changes colour by clicking
the switch OFF & ON



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KUTE 2.0 JUNCTION BOX LED LIGHT										
	2413PL03R WW	3W	3000K	>0.9	180°	>80	Φ 80*28	-	190.00	10/200
	2413PL03R NW	3W	4000K	>0.9	180°	>80	Φ 80*28	-	190.00	10/200
	2413PL03R CW	3W	6500K	>0.9	180°	>80	Φ 80*28	-	190.00	10/200
	2413PL03R RD	3W	Red	>0.9	180°	>80	Φ 80*28	-	190.00	10/200
	2413PL03R GN	3W	Green	>0.9	180°	>80	Φ 80*28	-	190.00	10/200
	2413PL03R BE	3W	Blue	>0.9	180°	>80	Φ 80*28	-	190.00	10/200
	2413PL03R PK	3W	Pink	>0.9	180°	>80	Φ 80*28	-	190.00	10/200
	2413PL07R WW	7W	3000K	>0.9	180°	>80	Φ 80*28	-	250.00	10/200
	2413PL07R NW	7W	4000K	>0.9	180°	>80	Φ 80*28	-	250.00	10/200
	2413PL07R CW	7W	6500K	>0.9	180°	>80	Φ 80*28	-	250.00	10/200
	2413PL07R RD	7W	Red	>0.9	180°	>80	Φ 80*28	-	250.00	10/200
	2413PL07R GN	7W	Green	>0.9	180°	>80	Φ 80*28	-	250.00	10/200
	2413PL07R BE	7W	Blue	>0.9	180°	>80	Φ 80*28	-	250.00	10/200
	2413PL07R PK	7W	Pink	>0.9	180°	>80	Φ 80*28	-	250.00	10/200
KUTE 2.0 TRIO 3-IN-1 COLOUR CHANGING JUNCTION BOX LED LIGHT										
	2413JB07R	7W	3000K	>0.9	180°	>80	Φ 80*28	-	280.00	10/200
			4000K							
			6500K							

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Introducing

IGLOO
Kenzo
BOAT

IGLOO ◀
Bulkhead Light



ILLUMINATING SPACES, INSPIRING MINDS.




The beauty of any place lies in its ambience and its lighting. These stunning LED lights are designed to suit various requirements while offering uniform lighting and unmatched style. An epitome of superior innovation and impeccable finesse, these are an ideal choice when it comes to bright, durable LED lights.



KENZO
Down Light



▶ BOAT
IP65 Bulkhead Light for Outdoor



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KENZO MULTI-COLOUR CONCEALED DOWNLIGHT-ROUND											
	2423CB07R CR	7W	6500K/Red	>0.9	180°	>80	Φ 100*36	Φ 75	300.00	01/60	
	2423CB07R CG	7W	6500K/Green	>0.9	180°	>80	Φ 100*36	Φ 75	300.00	01/60	
	2423CB07R CB	7W	6500K/Blue	>0.9	180°	>80	Φ 100*36	Φ 75	300.00	01/60	
	2423CB07R CP	7W	6500K/Pink	>0.9	180°	>80	Φ 100*36	Φ 75	300.00	01/60	
	2423CB07R CRGB	7W	6500K/RGB	>0.9	180°	>80	Φ 100*36	Φ 75	300.00	01/60	
	2423CB07R CWW	7W	6500K/3000K	>0.9	180°	>80	Φ 100*36	Φ 75	300.00	01/60	
	2423CB09R WW	9W	3000K	>0.9	180°	>80	Φ 100*36	Φ 75	325.00	01/60	
	2423CB09R NW	9W	4000K	>0.9	180°	>80	Φ 100*36	Φ 75	325.00	01/60	
	2423CD09R CW	9W	6500K	>0.9	180°	>80	Φ 100*36	Φ 75	325.00	01/60	
	2423CB09R 3-in-1	9W	3000K/4000K/6500K	>0.9	180°	>80	Φ 100*36	Φ 75	370.00	01/60	
 NEW	2423CB12R CRGB	12W	6500K/RGB	>0.9	180°	>80	Φ 115*42	Φ 75	540.00	01/60	

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KENZO MULTI-COLOUR JUNCTION BOX DOWNLIGHT-ROUND											
	2423JB07R CR	7W	6500K/Red	>0.9	180°	>80	Φ 100*42	Φ 52	290.00	01/40	
	2423JB07R CG	7W	6500K/Green	>0.9	180°	>80	Φ 100*42	Φ 52	290.00	01/40	
	2423JB07R CB	7W	6500K/Blue	>0.9	180°	>80	Φ 100*42	Φ 52	290.00	01/40	
	2423JB07R CP	7W	6500K/Pink	>0.9	180°	>80	Φ 100*42	Φ 52	290.00	01/40	
	2423JB07R CRGB	7W	6500K/RGB	>0.9	180°	>80	Φ 100*42	Φ 52	290.00	01/40	
	2423JB09R WW	9W	3000K	>0.9	180°	>80	Φ 100*42	Φ 52	310.00	01/40	
	2423JB09R NW	9W	4000K	>0.9	180°	>80	Φ 100*42	Φ 52	310.00	01/40	
	2423JB09R CW	9W	6500K	>0.9	180°	>80	Φ 100*42	Φ 52	310.00	01/40	
	2423JB09R 3-in-1	9W	3000K/4000K/6500K	>0.9	180°	>80	Φ 100*42	Φ 52	360.00	01/40	

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
IGLOO BULK HEAD											
	2426BH10 WW	10W	3000K	>0.9	180°	>80	166*80*63	-	510.00	01/30	
	2426BH10 NW	10W	4000K	>0.9	180°	>80	166*80*63	-	510.00	01/30	
	2426BH10 CW	10W	6500K	>0.9	180°	>80	166*80*63	-	510.00	01/30	
BOAT BULK HEAD											
	2429BH10 WW	10W	3000K	>0.9	180°	>80	117*71*61	-	425.00	01/54	
	2429BH10 NW	10W	4000K	>0.9	180°	>80	117*71*61	-	425.00	01/54	
	2429BH10 CW	10W	6500K	>0.9	180°	>80	117*71*61	-	425.00	01/54	
	2429BH18 WW	18W	3000K	>0.9	180°	>80	166*84*67	-	575.00	01/30	
	2429BH18 NW	18W	4000K	>0.9	180°	>80	166*84*67	-	575.00	01/30	
	2429BH18 CW	18W	6500K	>0.9	180°	>80	166*84*67	-	575.00	01/30	

All dimensions in mm


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE


 ZERO
MERCURY




HIGH- GRADE HEAT SINKS



Manages heat efficiently and
enhances longer life.



Intelligently Engineered



The high-surge protection reflects
the good electrical design and
quality components.



TRULY green

Energy-efficient products that
minimise energy wastage.



Shows the natural
colours of the objects.

Introducing

PRIMUS

SPOT LIGHT

IMMERSE YOURSELF
IN THE PERFECT
BALANCE OF
AESTHETICS AND
FUNCTIONALITY.



In-built
Driver







Superior Surge
Protection



Wide voltage
range 110-300V

Discover the allure of precision lighting with Primus Spotlights. From highlighting design features to creating dramatic visual effects, these lights empower you to curate your environment's character.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
PRIMUS SPOTLIGHT										
	2233SL03R WW	3W	3000K	>0.9	45°	>80	Φ 75*43	Φ 60	340.00	01/40
	2233SL03R NW	3W	4000K	>0.9	45°	>80	Φ 75*43	Φ 60	340.00	01/40
	2233SL03R CW	3W	6500K	>0.9	45°	>80	Φ 75*43	Φ 60	340.00	01/40
	2233SL06R WW	6W	3000K	>0.9	60°	>80	Φ 95*46	Φ 75	420.00	01/40
	2233SL06R NW	6W	4000K	>0.9	60°	>80	Φ 95*46	Φ 75	420.00	01/40
	2233SL06R CW	6W	6500K	>0.9	60°	>80	Φ 95*46	Φ 75	420.00	01/40
	2233SL09R WW	9W	3000K	>0.9	60°	>80	Φ 116*52	Φ 100	640.00	01/40
	2233SL09R NW	9W	4000K	>0.9	60°	>80	Φ 116*52	Φ 100	640.00	01/40
	2233SL09R CW	9W	6500K	>0.9	60°	>80	Φ 116*52	Φ 100	640.00	01/40
	2233SL12R WW	12W	3000K	>0.9	60°	>80	Φ 139*55	Φ 125	800.00	01/40
	2233SL12R NW	12W	4000K	>0.9	60°	>80	Φ 139*55	Φ 125	800.00	01/40
	2233SL12R CW	12W	6500K	>0.9	60°	>80	Φ 139*55	Φ 125	800.00	01/40

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

KORNET

DEEP COB SPOT LIGHT



WEAVING
ENCHANTING
EXPERIENCES.



Aluminium
Die-cast Body



Beam
Angle



Detachable
Driver



Wide voltage
range 110-300V



30,000H
Lifespan















IP20



Superior Surge
Protection

Epitomizing ambient lighting like never-before, these sleek and stylish aluminium deep recessed COB LED spot lights gives minimum exposure without compromising the elegance of the ceiling, chrome reflectors with narrow beam angle harmonise the light. These COB LED spot lights are all you need to take the aura of your spaces up by a few notches. Stunning in its style and efficient in its function, these ultra-modern jewels are bound to complement every space and style.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KORNET DEEP COB SPOTLIGHT BLACK-ROUND [STEEL CHROME] (ALUMINIUM DIE-CAST HOUSING)										
	2221SL07R WW SL	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R NW SL	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R CW SL	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL12R WW SL	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R NW SL	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R CW SL	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
KORNET DEEP COB SPOTLIGHT BLACK-ROUND [ROSE GOLD CHROME] (ALUMINIUM DIE-CAST HOUSING)										
	2221SL07R WW RG	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R NW RG	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R CW RG	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL12R WW RG	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R NW RG	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R CW RG	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
KORNET DEEP COB SPOTLIGHT BLACK-ROUND [BLACK CHROME] (ALUMINIUM DIE-CAST HOUSING)										
	2221SL07R WW BK	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R NW BK	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R CW BK	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL12R WW BK	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R NW BK	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R CW BK	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
KORNET DEEP COB SPOTLIGHT WHITE-ROUND [STEEL CHROME] (ALUMINIUM DIE-CAST HOUSING)										
	2221SL07R W WW SL	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R W NW SL	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R W CW SL	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL12R W WW SL	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R W NW SL	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R W CW SL	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
KORNET DEEP COB SPOTLIGHT WHITE-ROUND [ROSE GOLD CHROME] (ALUMINIUM DIE-CAST HOUSING)										
	2221SL07R W WW RG	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R W NW RG	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R W CW RG	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL12R W WW RG	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R W NW RG	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R W CW RG	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
KORNET DEEP COB SPOTLIGHT WHITE-ROUND [BLACK CHROME] (ALUMINIUM DIE-CAST HOUSING)										
	2221SL07R W WW BK	7W	3000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R W NW BK	7W	4000K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL07R W CW BK	7W	6500K	>0.5	24°	>80	Φ 65*65	Φ 60	1170.00	01/20
	2221SL12R W WW BK	12W	3000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R W NW BK	12W	4000K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20
	2221SL12R W CW BK	12W	6500K	>0.9	24°	>80	Φ 80*80	Φ 75	1620.00	01/20

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY



KORNET 2.0

DEEP COB SPOT LIGHT

RADIANCE ENGINEERED TO PERFECTION.

Designed to augment the beauty of your spaces, Kornet 2.0 aluminium COB LED spot lights are built to last. These sturdy and efficient pieces of impeccable radiance light up your spaces with innovative excellence and are bound to leave lasting impressions. Adorn your spaces with these radiant beauties now.



Aluminium
Die-cast Body



Detachable
Driver



30,000H
Lifespan



Superior Surge
Protection



Beam
Angle









Wide voltage
range 110-300V




IP20



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KORNET 2.0 DEEP COB SPOTLIGHT-ROUND (ALUMINIUM DIE-CAST HOUSING)										
	2222SL05R WW	5W	3000K	>0.5	24°	>80	Φ 50*55	Φ 45	720.00	01/20
	2222SL05R NW	5W	4000K	>0.5	24°	>80	Φ 50*55	Φ 45	720.00	01/20
	2222SL05R CW	5W	6500K	>0.5	24°	>80	Φ 50*55	Φ 45	720.00	01/20
	2222SL10R WW	10W	3000K	>0.5	24°	>80	Φ 75*70	Φ 70	1260.00	01/20
	2222SL10R NW	10W	4000K	>0.5	24°	>80	Φ 75*70	Φ 70	1260.00	01/20
	2222SL10R CW	10W	6500K	>0.5	24°	>80	Φ 75*70	Φ 70	1260.00	01/20
	2222SL15R WW	15W	3000K	>0.9	24°	>80	Φ 85*80	Φ 75	1620.00	01/20
	2222SL15R NW	15W	4000K	>0.9	24°	>80	Φ 85*80	Φ 75	1620.00	01/20
	2222SL15R CW	15W	6500K	>0.9	24°	>80	Φ 85*80	Φ 75	1620.00	01/20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KORNET 2.0 DEEP COB SPOTLIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING)										
	2222SL05R B WW	5W	3000K	>0.5	24°	>80	Φ 50*55	Φ 45	765.00	01/20
	2222SL05R B NW	5W	4000K	>0.5	24°	>80	Φ 50*55	Φ 45	765.00	01/20
	2222SL05R B CW	5W	6500K	>0.5	24°	>80	Φ 50*55	Φ 45	765.00	01/20
	2222SL10R B WW	10W	3000K	>0.5	24°	>80	Φ 75*70	Φ 70	1350.00	01/20
	2222SL10R B NW	10W	4000K	>0.5	24°	>80	Φ 75*70	Φ 70	1350.00	01/20
	2222SL10R B CW	10W	6500K	>0.5	24°	>80	Φ 75*70	Φ 70	1350.00	01/20
	2222SL15R B WW	15W	3000K	>0.9	24°	>80	Φ 85*80	Φ 75	1755.00	01/20
	2222SL15R B NW	15W	4000K	>0.9	24°	>80	Φ 85*80	Φ 75	1755.00	01/20
	2222SL15R B CW	15W	6500K	>0.9	24°	>80	Φ 85*80	Φ 75	1755.00	01/20

NEW

	Code	Power In	Model Name	MRP ₹/U	Pack
KORNET DRIVER					
	2221DR05	5W	LED Driver 5W	280.00	05
	2221DR07	7W	LED Driver 7W	325.00	05
	2221DR10	10W	LED Driver 10W	370.00	05
	2221DR12	12W	LED Driver 12W	395.00	05
	2221DR15	15W	LED Driver 15W	430.00	05

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER




MAINTENANCE FREE



ZERO MERCURY

A DASH OF VERVE IN
EVERY CORNER.

Now, experience extreme brightness from a compact device. As the innovative technology used in our tiltable Karat COB Lights with aluminium die-cast housing makes your spaces exceptionally bright. What's more, you can benefit from extra efficiency, save energy, long lamp life and high lumen output.



Faceted high gloss reflectors for perfect beam angle



Swivel Angle 25°




Superior fin design for thermal management in heat sink



Aluminium Die-cast Body




Detachable Driver



30,000H Lifespan



Superior Surge Protection








Beam Angle




Wide voltage range 110-270V




IP20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARAT COB SPOTLIGHT-ROUND (ALUMINIUM DIE-CAST HOUSING)										
	2214SL03R WW	3W	3000K	>0.5	60°	>80	Φ 70*45	Φ 50	610.00	01/50
	2214SL03R NW	3W	4000K	>0.5	60°	>80	Φ 70*45	Φ 50	610.00	01/50
	2214SL03R CW	3W	6500K	>0.5	60°	>80	Φ 70*45	Φ 50	610.00	01/50
	2214SL05R WW	5W	3000K	>0.5	60°	>80	Φ 70*45	Φ 50	630.00	01/50
	2214SL05R NW	5W	4000K	>0.5	60°	>80	Φ 70*45	Φ 50	630.00	01/50
	2214SL05R CW	5W	6500K	>0.5	60°	>80	Φ 70*45	Φ 50	630.00	01/50
	2214SL10R WW	10W	3000K	>0.9	60°	>80	Φ 85*60	Φ 65	1035.00	01/50
	2214SL10R NW	10W	4000K	>0.9	60°	>80	Φ 85*60	Φ 65	1035.00	01/50
	2214SL10R CW	10W	6500K	>0.9	60°	>80	Φ 85*60	Φ 65	1035.00	01/50
	2214SL15R WW	15W	3000K	>0.9	60°	>80	Φ 110*70	Φ 80	1350.00	01/20
	2214SL15R NW	15W	4000K	>0.9	60°	>80	Φ 110*70	Φ 80	1350.00	01/20
	2214SL15R CW	15W	6500K	>0.9	60°	>80	Φ 110*70	Φ 80	1350.00	01/20
	2214SL25R WW	25W	3000K	>0.9	60°	>80	Φ 136*80	Φ 115	1845.00	01/20
	2214SL25R NW	25W	4000K	>0.9	60°	>80	Φ 136*80	Φ 115	1845.00	01/20
	2214SL25R CW	25W	6500K	>0.9	60°	>80	Φ 136*80	Φ 115	1845.00	01/20
	2214SL35R WW	35W	3000K	>0.9	60°	>80	Φ 160*85	Φ 135	2250.00	01/20
	2214SL35R NW	35W	4000K	>0.9	60°	>80	Φ 160*85	Φ 135	2250.00	01/20
	2214SL35R CW	35W	6500K	>0.9	60°	>80	Φ 160*85	Φ 135	2250.00	01/20

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
KARAT COB SPOTLIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING)										
	2214SL03R B WW	3W	3000K	>0.5	60°	>80	Φ 70*45	Φ 50	630.00	01/50
	2214SL03R B NW	3W	4000K	>0.5	60°	>80	Φ 70*45	Φ 50	630.00	01/50
	2214SL03R B CW	3W	6500K	>0.5	60°	>80	Φ 70*45	Φ 50	630.00	01/50
	2214SL05R B WW	5W	3000K	>0.5	60°	>80	Φ 70*45	Φ 50	655.00	01/50
	2214SL05R B NW	5W	4000K	>0.5	60°	>80	Φ 70*45	Φ 50	655.00	01/50
	2214SL05R B CW	5W	6500K	>0.5	60°	>80	Φ 70*45	Φ 50	655.00	01/50
	2214SL10R B WW	10W	3000K	>0.9	60°	>80	Φ 85*60	Φ 65	1080.00	01/50
	2214SL10R B NW	10W	4000K	>0.9	60°	>80	Φ 85*60	Φ 65	1080.00	01/50
	2214SL10R B CW	10W	6500K	>0.9	60°	>80	Φ 85*60	Φ 65	1080.00	01/50
	2214SL15R B WW	15W	3000K	>0.9	60°	>80	Φ 110*70	Φ 80	1420.00	01/20
	2214SL15R B NW	15W	4000K	>0.9	60°	>80	Φ 110*70	Φ 80	1420.00	01/20
	2214SL15R B CW	15W	6500K	>0.9	60°	>80	Φ 110*70	Φ 80	1420.00	01/20
	2214SL25R B WW	25W	3000K	>0.9	60°	>80	Φ 136*80	Φ 115	1935.00	01/20
	2214SL25R B NW	25W	4000K	>0.9	60°	>80	Φ 136*80	Φ 115	1935.00	01/20
	2214SL25R B CW	25W	6500K	>0.9	60°	>80	Φ 136*80	Φ 115	1935.00	01/20
	2214SL35R B WW	35W	3000K	>0.9	60°	>80	Φ 160*85	Φ 135	2365.00	01/20
	2214SL35R B NW	35W	4000K	>0.9	60°	>80	Φ 160*85	Φ 135	2365.00	01/20
	2214SL35R B CW	35W	6500K	>0.9	60°	>80	Φ 160*85	Φ 135	2365.00	01/20

NEW

	Code	Power In	Model Name	MRP ₹/U	Pack
KARAT DRIVER					
	2214DR03	3W	LED Driver 3W	250.00	05
	2214DR05	5W	LED Driver 5W	250.00	05
	2214DR10	10W	LED Driver 10W	335.00	05
	2214DR15	15W	LED Driver 15W	390.00	05
	2214DR25	25W	LED Driver 25W	475.00	05
	2214DR35	35W	LED Driver 35W	550.00	05

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

Introducing

DEKO

COB SPOT LIGHT

SWITCH ON BRILLIANCE.

Whether you need focused illumination for highlighting artwork or creating a cozy reading nook, these aluminium COB LED spot lights offer versatility and precision. Upgrade your lighting experience with Deko today.



Finned Heat Sink*



Aluminium Die-cast Body



Detachable Driver



Superior Surge Protection












Beam Angle



Wide voltage range 100-300V

*For Better Heat dissipation which results in long life & better results of LED Lights.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack
DEKO COB SPOT LIGHT-ROUND [STEEL CHROME]										
	2245SL07R WW SL	7W	3000K	>0.5	38°	>80	Φ 70*50	Φ 64	945.00	01/20
	2245SL07R NW SL	7W	4000K	>0.5	38°	>80	Φ 70*50	Φ 64	945.00	01/20
	2245SL07R CW SL	7W	6500K	>0.5	38°	>80	Φ 70*50	Φ 64	945.00	01/20
	2245SL12R WW SL	12W	3000K	>0.9	38°	>80	Φ 85*65	Φ 78	1350.00	01/20
	2245SL12R NW SL	12W	4000K	>0.9	38°	>80	Φ 85*65	Φ 78	1350.00	01/20
	2245SL12R CW SL	12W	6500K	>0.9	38°	>80	Φ 85*65	Φ 78	1350.00	01/20
	2245SL18R WW SL	18W	3000K	>0.9	38°	>80	Φ 95*75	Φ 87	1575.00	01/20
	2245SL18R NW SL	18W	4000K	>0.9	38°	>80	Φ 95*75	Φ 87	1575.00	01/20
	2245SL18R CW SL	18W	6500K	>0.9	38°	>80	Φ 95*75	Φ 87	1575.00	01/20
DEKO COB SPOT LIGHT-ROUND [ROSE GOLD CHROME]										
	2245SL07R WW RG	7W	3000K	>0.5	38°	>80	Φ 70*50	Φ 64	945.00	01/20
	2245SL07R NW RG	7W	4000K	>0.5	38°	>80	Φ 70*50	Φ 64	945.00	01/20
	2245SL07R CW RG	7W	6500K	>0.5	38°	>80	Φ 70*50	Φ 64	945.00	01/20
	2245SL12R WW RG	12W	3000K	>0.9	38°	>80	Φ 85*65	Φ 78	1350.00	01/20
	2245SL12R NW RG	12W	4000K	>0.9	38°	>80	Φ 85*65	Φ 78	1350.00	01/20
	2245SL12R CW RG	12W	6500K	>0.9	38°	>80	Φ 85*65	Φ 78	1350.00	01/20
	2245SL18R WW RG	18W	3000K	>0.9	38°	>80	Φ 95*75	Φ 87	1575.00	01/20
	2245SL18R NW RG	18W	4000K	>0.9	38°	>80	Φ 95*75	Φ 87	1575.00	01/20
	2245SL18R CW RG	18W	6500K	>0.9	38°	>80	Φ 95*75	Φ 87	1575.00	01/20
DEKO COB SPOT LIGHT-ROUND [BLACK CHROME]										
	2245SL07R WW BK	7W	3000K	>0.5	38°	>80	Φ 70*50	Φ 64	945.00	01/20
	2245SL07R NW BK	7W	4000K	>0.5	38°	>80	Φ 70*50	Φ 64	945.00	01/20
	2245SL07R CW BK	7W	6500K	>0.5	38°	>80	Φ 70*50	Φ 64	945.00	01/20
	2245SL12R WW BK	12W	3000K	>0.9	38°	>80	Φ 85*65	Φ 78	1350.00	01/20
	2245SL12R NW BK	12W	4000K	>0.9	38°	>80	Φ 85*65	Φ 78	1350.00	01/20
	2245SL12R CW BK	12W	6500K	>0.9	38°	>80	Φ 85*65	Φ 78	1350.00	01/20
	2245SL18R WW BK	18W	3000K	>0.9	38°	>80	Φ 95*75	Φ 87	1575.00	01/20
	2245SL18R NW BK	18W	4000K	>0.9	38°	>80	Φ 95*75	Φ 87	1575.00	01/20
	2245SL18R CW BK	18W	6500K	>0.9	38°	>80	Φ 95*75	Φ 87	1575.00	01/20

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY



KANDY 2.0

SPOT LIGHT









SHINE AN
INNOVATIVE
LIGHT ON
YOUR SPACES



Redefining minimalistic design with innovative styles, Kandy 2.0 spot lights with in-built driver are suitable to draw attention to certain corners of your spaces and make them stand out.

Inbuilt Driver



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	Cutout Size	MRP ₹/U	Pack	
KANDY 2.0 SPOTLIGHT-ROUND											NEW
	2427SL02R WW	2W	3000K	>0.9	30°	>80	Φ 42*16	Φ 32	170.00	20/320	
	2427SL02R NW	2W	4000K	>0.9	30°	>80	Φ 42*16	Φ 32	170.00	20/320	
	2427SL02R CW	2W	6500K	>0.9	30°	>80	Φ 42*16	Φ 32	170.00	20/320	
	2427SL02R RD	2W	Red	>0.9	30°	>80	Φ 42*16	Φ 32	170.00	20/320	
	2427SL02R GN	2W	Green	>0.9	30°	>80	Φ 42*16	Φ 32	170.00	20/320	
	2427SL02R BE	2W	Blue	>0.9	30°	>80	Φ 42*16	Φ 32	170.00	20/320	
	2427SL02R PK	2W	Pink	>0.9	30°	>80	Φ 42*16	Φ 32	170.00	20/320	
	KANDY 2.0 SPOTLIGHT-SQUARE										
	2427SL02S WW	2W	3000K	>0.9	30°	>80	42*42*16	Φ 32	170.00	20/320	
	2427SL02S NW	2W	4000K	>0.9	30°	>80	42*42*16	Φ 32	170.00	20/320	
	2427SL02S CW	2W	6500K	>0.9	30°	>80	42*42*16	Φ 32	170.00	20/320	
	2427SL02S RD	2W	Red	>0.9	30°	>80	42*42*16	Φ 32	170.00	20/320	
	2427SL02S GN	2W	Green	>0.9	30°	>80	42*42*16	Φ 32	170.00	20/320	
	2427SL02S BE	2W	Blue	>0.9	30°	>80	42*42*16	Φ 32	170.00	20/320	
	2427SL02S PK	2W	Pink	>0.9	30°	>80	42*42*16	Φ 32	170.00	20/320	
	KANDY 2.0 SPOTLIGHT BLACK-ROUND										
	2427SL02R B WW	2W	3000K	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/320	
	2427SL02R B NW	2W	4000K	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/320	
	2427SL02R B CW	2W	6500K	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/320	
	2427SL02R B RD	2W	Red	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/320	
	2427SL02R B GN	2W	Green	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/320	
	2427SL02R B BE	2W	Blue	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/320	
	2427SL02R B PK	2W	Pink	>0.9	30°	>80	Φ 42*16	Φ 32	210.00	20/320	
	KANDY 2.0 SPOTLIGHT BLACK-SQUARE										
	2427SL02S B WW	2W	3000K	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/320	
	2427SL02S B NW	2W	4000K	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/320	
	2427SL02S B CW	2W	6500K	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/320	
	2427SL02S B RD	2W	Red	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/320	
	2427SL02S B GN	2W	Green	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/320	
	2427SL02S B BE	2W	Blue	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/320	
	2427SL02S B PK	2W	Pink	>0.9	30°	>80	42*42*16	Φ 32	210.00	20/320	

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Introducing

MATRIX

TRACK LIGHT



Faceted Reflector

LIGHT UP YOUR SPACES WITH MODERN-DESIGNS.

Elevate the style statement of your spaces with Matrix aluminium Track LED Lights. These versatile and energy-efficient fixtures offer a customizable lighting solution for any room. Whether you want to create a vibrant, modern ambience or a warm, cozy atmosphere, these are your go-to choice.



Beam Angle



Superior Surge Protection



Wide voltage range 100-300V

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	MRP ₹/U	Pack	
MATRIX TRACK LIGHT WHITE									
	2247TL10 WW	10W	3000K	>0.9	38°	>80	1065.00	01/20	NEW
	2247TL10 NW	10W	4000K	>0.9	38°	>80	1065.00	01/20	
	2247TL10 CW	10W	6500K	>0.9	38°	>80	1065.00	01/20	
	2247TL20 WW	20W	3000K	>0.9	38°	>80	1445.00	01/20	
	2247TL20 NW	20W	4000K	>0.9	38°	>80	1445.00	01/20	
	2247TL20 CW	20W	6500K	>0.9	38°	>80	1445.00	01/20	
	2247TL30 WW	30W	3000K	>0.9	38°	>80	1870.00	01/20	
	2247TL30 NW	30W	4000K	>0.9	38°	>80	1870.00	01/20	
	2247TL30 CW	30W	6500K	>0.9	38°	>80	1870.00	01/20	
MATRIX TRACK LIGHT BLACK									
	2247TL10 B WW	10W	3000K	>0.9	38°	>80	1065.00	01/20	
	2247TL10 B NW	10W	4000K	>0.9	38°	>80	1065.00	01/20	
	2247TL10 B CW	10W	6500K	>0.9	38°	>80	1065.00	01/20	
	2247TL20 B WW	20W	3000K	>0.9	38°	>80	1445.00	01/20	
	2247TL20 B NW	20W	4000K	>0.9	38°	>80	1445.00	01/20	
	2247TL20 B CW	20W	6500K	>0.9	38°	>80	1445.00	01/20	
	2247TL30 B WW	30W	3000K	>0.9	38°	>80	1870.00	01/20	
	2247TL30 B NW	30W	4000K	>0.9	38°	>80	1870.00	01/20	
	2247TL30 B CW	30W	6500K	>0.9	38°	>80	1870.00	01/20	

	Code	Product	MRP ₹/U	Pack	
MATRIX TRACK WHITE					
	2247TS01	1 Meter Track For Single Phase Track Light	525.00	01/20	NEW
MATRIX TRACK BLACK					
	2247TS01 B	1 Meter Track For Single Phase Track Light	525.00	01/20	NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

ELEGANCE PAINTED BRIGHT.

KOVE
STRIP LIGHT

GROOVE
ROPE LIGHT

Light up every corner of your space with these incredible LED strip lights that lend superior brightness and the perfect touch of elegance to your interiors. Specifically designed to add to the style quotient of your spaces, these strips come with adhesive at the backside for easy application and are best used for background lighting or decorative lighting.



High Lumens



Beam Angle



5 Meters



IP20






The logo for KOVE, where the letters are filled with a grid of small white dots, giving it a pixelated or LED-like appearance. The letters are in a bold, sans-serif font.



STRIP LIGHT




A SYMPHONY OF VIVID COLOURS.


Delight each part of your space with a world-class quality LED strip light that sets the mood right for every occasion. An ultimate piece of jewel for your interiors that offers efficient lighting while adding to the vibe of your décor.

AVAILABLE IN
COOL WHITE, NATURAL WHITE,
WARM WHITE, RED, GREEN,
BLUE & PINK.

	Code	Power 5 Mtr	No. of LED Per Mtr	Colour Temp	Lumens Per LED	Input Voltage	CRI	MRP ₹/U	Length In Mtr	Pack
KOVE STRIP LIGHT IP20 SMD 2835										
	2218SP30 WW	30W	60	3000K	23	12V	>80	565.00	5	01/40
	2218SP30 NW	30W	60	4000K	23	12V	>80	565.00	5	01/40
	2218SP30 CW	30W	60	6500K	23	12V	>80	565.00	5	01/40
	2218SP30 RD	30W	60	Red	23	12V	>80	600.00	5	01/40
	2218SP30 GN	30W	60	Green	23	12V	>80	600.00	5	01/40
	2218SP30 BE	30W	60	Blue	23	12V	>80	600.00	5	01/40
	2218SP30 PK	30W	60	Pink	23	12V	>80	620.00	5	01/40
	2218SP60 WW	60W	120	3000K	23	12V	>80	800.00	5	01/40
	2218SP60 NW	60W	120	4000K	23	12V	>80	800.00	5	01/40
	2218SP60 CW	60W	120	6500K	23	12V	>80	800.00	5	01/40
	2218SP60 RD	60W	120	Red	23	12V	>80	860.00	5	01/40
	2218SP60 GN	60W	120	Green	23	12V	>80	860.00	5	01/40
	2218SP60 BE	60W	120	Blue	23	12V	>80	860.00	5	01/40
	2218SP60 PK	60W	120	Pink	23	12V	>80	900.00	5	01/40
	2418SP60 WW	60W	240	3000K	23	12V	>80	1150.00	5	01/40
	2418SP60 NW	60W	240	4000K	23	12V	>80	1150.00	5	01/40
	2418SP60 CW	60W	240	6500K	23	12V	>80	1150.00	5	01/40


KOVE DELUXE STRIP LIGHT IP20 SMD 2835										
	2242SP60 WW	60W	120	3000K	26	12V	>80	935.00	5	01/40
	2242SP60 NW	60W	120	4000K	26	12V	>80	935.00	5	01/40
	2242SP60 CW	60W	120	6500K	26	12V	>80	935.00	5	01/40
	2242SP85 WW	85W	168	3000K	26	12V	>80	1235.00	5	01/40
	2242SP85 NW	85W	168	4000K	26	12V	>80	1235.00	5	01/40
	2242SP85 CW	85W	168	6500K	26	12V	>80	1235.00	5	01/40

KOVE ULTRA STRIP LIGHT IP20 SMD 2835										
	2219SP60 3-in-1 (Tunable)	60W	120	3000K	26	12V	>80	960.00	5	01/40
				6500K						
	2219SP90 WW	90W	180	3000K	26	12V	>80	1315.00	5	01/40
	2219SP90 NW	90W	180	4000K	26	12V	>80	1315.00	5	01/40
	2219SP90 CW	90W	180	6500K	26	12V	>80	1315.00	5	01/40
	2219SP105 WW	105W	240	3000K	26	12V	>80	1540.00	5	01/40
	2219SP105 NW	105W	240	4000K	26	12V	>80	1540.00	5	01/40
	2219SP105 CW	105W	240	6500K	26	12V	>80	1540.00	5	01/40

	Code	Power In	Model Name	MRP ₹/U	Pack
KOVE STRIP LIGHT DRIVER					
	2219DR24	24W	LED Driver 24W	420.00	01/72

KOVE STRIP LIGHT DRIVER (ALUMINIUM)					
	2218DR24	24W	LED Driver 24W	420.00	01/72
	2218DR60	60W	LED Driver 60W	880.00	01/48
	2218DR120	120W	LED Driver 120W	1640.00	01/24

	Code	Model Name	MRP ₹/U	Pack
--	------	------------	---------	------

RF REMOTE CONTROLLER				
	2219RE 3-in-1	Kove RF Remote Controller & Remote	2640.00	01

Introducing

GROOVE

ROPE LIGHT



LIGHT UP
YOUR LIFE
WITH
GROOVE.

Introducing GROOVE,
the LED Rope Light that will
brighten up any space.
Get ready to shine.

AVAILABLE IN DIFFERENT COLOURS



Cool White



Natural White



Warm White



Red





Green



Blue



Pink

	Code	Power 1 Mtr	No. of LED Per Mtr	Colour Temp	Input Voltage	CRI	MRP ₹/U	Length In Mtr	Pack
GROOVE ROPE LIGHT IP65 SMD 2835									
	2250RL10 WW	10W	120	3000K	220V~	>80	9500.00	50	01
	2250RL10 NW	10W	120	4000K	220V~	>80	9500.00	50	01
	2250RL10 CW	10W	120	6500K	220V~	>80	9500.00	50	01
	2250RL10 RD	10W	120	Red	220V~	>80	9950.00	50	01
	2250RL10 GN	10W	120	Green	220V~	>80	9950.00	50	01
	2250RL10 BE	10W	120	Blue	220V~	>80	9950.00	50	01
	2250RL10 PK	10W	120	Pink	220V~	>80	9950.00	50	01

NEW



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

WHERE LIGHT
MEETS LIMITLESS
POSSIBILITIES.

Introducing

KEETO

INVERTER BULB

CRAFTING MOODS WITH A GLOW.

A one-of-a-kind offering from the house of Kolors, these inverter bulbs with turbocharger are a piece of accessory that every space must have. Designed to uniformly light up your spaces with unmatched radiance, these bulbs are sturdy and offer world-class quality.



RATED LIFE
30000 HOURS*



Turbcharge

Charging Time: 4-6 Hours

10W



In-built Driver




















Superior Surge Protection



Beam Angle



Wide voltage range 100-300V

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	MRP ₹/U	Pack
KEETO BULB - B22								
	2204BU03 WW	3W	3000K	>0.9	180°	>80	170.00	10/90
	2204BU03 NW	3W	4000K	>0.9	180°	>80	170.00	10/90
	2204BU03 CW	3W	6500K	>0.9	180°	>80	170.00	10/90
	2204BU05 WW	5W	3000K	>0.9	180°	>80	170.00	50/200
	2204BU05 CW	5W	6500K	>0.9	180°	>80	170.00	50/200
	2204BU07 WW	7W	3000K	>0.9	180°	>80	175.00	50/200
	2204BU07 CW	7W	6500K	>0.9	180°	>80	175.00	50/200
	2204BU09 WW	9W	3000K	>0.9	180°	>80	185.00	50/200
	2204BU09 NW	9W	4000K	>0.9	180°	>80	185.00	50/200
	2204BU09 CW	9W	6500K	>0.9	180°	>80	185.00	50/200
	2204BU12 WW	12W	3000K	>0.9	180°	>80	325.00	10/60
	2204BU12 CW	12W	6500K	>0.9	180°	>80	325.00	10/60
	2204BU15 WW	15W	3000K	>0.9	180°	>80	390.00	10/60
	2204BU15 CW	15W	6500K	>0.9	180°	>80	390.00	10/60
	2204BU18 WW	18W	3000K	>0.9	180°	>80	475.00	10/60
	2204BU18 CW	18W	6500K	>0.9	180°	>80	475.00	10/60
	2204BU20 WW	20W	3000K	>0.9	180°	>80	575.00	10/60
	2204BU20 CW	20W	6500K	>0.9	180°	>80	575.00	10/60
	2204BU23 WW	23W	3000K	>0.9	180°	>80	650.00	10/30
	2204BU23 CW	23W	6500K	>0.9	180°	>80	650.00	10/30
	2204BU30 WW	30W	3000K	>0.9	180°	>80	900.00	01/20
	2204BU30 CW	30W	6500K	>0.9	180°	>80	900.00	01/20
	2204BU40 WW	40W	3000K	>0.9	180°	>80	1125.00	01/12
	2204BU40 CW	40W	6500K	>0.9	180°	>80	1125.00	01/12
	2204BU50 WW	50W	3000K	>0.9	180°	>80	1325.00	01/12
	2204BU50 CW	50W	6500K	>0.9	180°	>80	1325.00	01/12
KEETO INVERTER LAMP - B22								
	2204IB09 CW	9W	6500K	>0.9	180°	>80	750.00	01/50
	NEW 2204IB10 CW	10W	6500K	>0.9	180°	>80	800.00	01/50
	NEW 2204IB15 CW	15W	6500K	>0.9	180°	>80	1150.00	01/40
NANO NIGHT LAMP - B22								
	2204BU00 WE	0.5W	White	>0.9	180°	>80	70.00	60
	2204BU00 YW	0.5W	Yellow	>0.9	180°	>80	70.00	60
	2204BU00 RD	0.5W	Red	>0.9	180°	>80	70.00	60
	2204BU00 PK	0.5W	Pink	>0.9	180°	>80	70.00	60
	2204BU00 GN	0.5W	Green	>0.9	180°	>80	70.00	60
	2204BU00 OE	0.5W	Orange	>0.9	180°	>80	70.00	60
	2204BU00 BE	0.5W	Blue	>0.9	180°	>80	70.00	60
	TEENY 2 PIN BULB							
	2249PB00 WE	0.5W	White	>0.9	180°	>80		
	2249PB00 YW	0.5W	Yellow	>0.9	180°	>80		
	2249PB00 RD	0.5W	Red	>0.9	180°	>80		
	2249PB00 PK	0.5W	Pink	>0.9	180°	>80		
	2249PB00 GN	0.5W	Green	>0.9	180°	>80		
	2249PB00 OE	0.5W	Orange	>0.9	180°	>80		
	2249PB00 BE	0.5W	Blue	>0.9	180°	>80		

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.
 Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).



KEETO









BULB

FUSING ARTISTRY
WITH A TOUCH OF
TECHNOLOGY.



A revolutionary lighting solution designed to illuminate your life with eco-friendly brilliance. This advanced LED bulb not only provides bright and energy-efficient lighting but also ensures uniform lighting, making it the perfect addition to your spaces.



	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	MRP ₹/U	Pack
KEETO BULB - E27 (SCREW TYPE)								
	2204BS03 WW	3W	3000K	>0.9	180°	>80	180.00	10/90
	2204BS03 NW	3W	4000K	>0.9	180°	>80	180.00	10/90
	2204BS03 CW	3W	6500K	>0.9	180°	>80	180.00	10/90
	2204BS05 WW	5W	3000K	>0.9	180°	>80	180.00	10/90
	2204BS05 NW	5W	4000K	>0.9	180°	>80	180.00	10/90
	2204BS05 CW	5W	6500K	>0.9	180°	>80	180.00	10/90
	2204BS07 WW	7W	3000K	>0.9	180°	>80	185.00	10/90
	2204BS07 CW	7W	6500K	>0.9	180°	>80	185.00	10/90
	2204BS09 WW	9W	3000K	>0.9	180°	>80	195.00	10/90
	2204BS09 NW	9W	4000K	>0.9	180°	>80	195.00	10/90
	2204BS09 CW	9W	6500K	>0.9	180°	>80	195.00	10/90
	2204BS12 WW	12W	3000K	>0.9	180°	>80	350.00	10/60
	2204BS12 NW	12W	4000K	>0.9	180°	>80	350.00	10/60
	2204BS12 CW	12W	6500K	>0.9	180°	>80	350.00	10/60
	2204BS30 WW	30W	3000K	>0.9	180°	>80	950.00	01/20
	2204BS30 NW	30W	4000K	>0.9	180°	>80	950.00	01/20
	2204BS30 CW	30W	6500K	>0.9	180°	>80	950.00	01/20
	2204BS40 WW	40W	3000K	>0.9	180°	>80	1200.00	01/12
	2204BS40 NW	40W	4000K	>0.9	180°	>80	1200.00	01/12
	2204BS40 CW	40W	6500K	>0.9	180°	>80	1200.00	01/12
	2204BS50 WW	50W	3000K	>0.9	180°	>80	1425.00	01/12
	2204BS50 NW	50W	4000K	>0.9	180°	>80	1425.00	01/12
	2204BS50 CW	50W	6500K	>0.9	180°	>80	1425.00	01/12



*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.
Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).



KATE









T-BULB

TRANSFORM
YOUR SPACE
WITH LED
BULBS.



ka^odle
BULB

Transform your space with LED bulbs that are high on radiance and functionality. Our LED bulbs are modern, elegant, and comfortable, offering you brightness and eye-friendliness. Our LED bulbs are also durable, energy-efficient, and adjustable, giving you the freedom to turn them in any direction.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	MRP ₹/U	Pack	
KANDLE BULB - E27 (SCREW TYPE)									
	2228BS03 WW	3W	3000K	>0.9	180°	>80	195.00	10/200	NEW
	2228BS03 NW	3W	4000K	>0.9	180°	>80	195.00	10/200	
	2228BS03 CW	3W	6500K	>0.9	180°	>80	195.00	10/200	
	2228BS05 WW	5W	3000K	>0.9	180°	>80	200.00	10/200	NEW
	2228BS05 NW	5W	4000K	>0.9	180°	>80	200.00	10/200	
	2228BS05 CW	5W	6500K	>0.9	180°	>80	200.00	10/200	
KANDLE BULB - E14 (SCREW TYPE)									
	2225BS03 WW	3W	3000K	>0.9	180°	>80	220.00	10/200	NEW
	2225BS03 NW	3W	4000K	>0.9	180°	>80	220.00	10/200	
	2225BS03 CW	3W	6500K	>0.9	180°	>80	220.00	10/200	
	2225BS05 WW	5W	3000K	>0.9	180°	>80	225.00	10/200	NEW
	2225BS05 NW	5W	4000K	>0.9	180°	>80	225.00	10/200	
	2225BS05 CW	5W	6500K	>0.9	180°	>80	225.00	10/200	
KANDLE BULB - B22									
	2228BU03 WW	3W	3000K	>0.9	180°	>80	210.00	10/200	NEW
	2228BU03 NW	3W	4000K	>0.9	180°	>80	210.00	10/200	
	2228BU03 CW	3W	6500K	>0.9	180°	>80	210.00	10/200	
	2228BU05 WW	5W	3000K	>0.9	180°	>80	215.00	10/200	NEW
	2228BU05 NW	5W	4000K	>0.9	180°	>80	215.00	10/200	
	2228BU05 CW	5W	6500K	>0.9	180°	>80	215.00	10/200	
	2228BU05 RD	5W	Red	>0.9	180°	>80	225.00	10/200	NEW
	2228BU05 GN	5W	Green	>0.9	180°	>80	225.00	10/200	
	2228BU05 BE	5W	Blue	>0.9	180°	>80	225.00	10/200	
	2228BU05 PK	5W	Pink	>0.9	180°	>80	225.00	10/200	
KATE T-BULB - B22									
	2417TB10 WW	10W	3000K	>0.9	120°	>80	375.00	10/200	NEW
	2417TB10 CW	10W	6500K	>0.9	120°	>80	375.00	10/200	


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.

Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).

Introducing

KBALL

FULL DOME BULB

LIGHTING THE
WAY FORWARD
WITH LED
INNOVATION.




















Delight your spaces with radiance that's uniform, bright and long-lasting. A reflection of finesse and impeccable style, these bulbs are brought to life to complement your stunning interiors and your exceptional taste.

Introducing

KGLOW

FULL DOME BULB

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	MRP ₹/U	Pack	
KBALL FULL DOME BULB - B22									
	2230BU05 WW	5W	3000K	>0.9	240°	>80	160.00	50/200	NEW
	2230BU05 NW	5W	4000K	>0.9	240°	>80	160.00	50/200	
	2230BU05 CW	5W	6500K	>0.9	240°	>80	160.00	50/200	
	2230BU07 WW	7W	3000K	>0.9	240°	>80	165.00	50/200	
	2230BU07 CW	7W	6500K	>0.9	240°	>80	165.00	50/200	
	2230BU09 WW	9W	3000K	>0.9	240°	>80	175.00	50/200	
	2230BU09 NW	9W	4000K	>0.9	240°	>80	175.00	50/200	
	2230BU09 CW	9W	6500K	>0.9	240°	>80	175.00	50/200	
	2230BU09 RD	9W	Red	>0.9	240°	>80	190.00	50/200	
	2230BU09 GN	9W	Green	>0.9	240°	>80	190.00	50/200	
	2230BU09 BE	9W	Blue	>0.9	240°	>80	190.00	50/200	
	2230BU09 PK	9W	Pink	>0.9	240°	>80	190.00	50/200	
	2230BU09 OE	9W	Orange	>0.9	240°	>80	190.00	50/200	
	2230BU12 WW	12W	3000K	>0.9	240°	>80	295.00	01/90	
	2230BU12 NW	12W	4000K	>0.9	240°	>80	295.00	01/90	
	2230BU12 CW	12W	6500K	>0.9	240°	>80	295.00	01/90	
	2230BU15 WW	15W	3000K	>0.9	240°	>80	350.00	01/90	
	2230BU15 CW	15W	6500K	>0.9	240°	>80	350.00	01/90	
	2230BU18 WW	18W	3000K	>0.9	240°	>80	450.00	01/60	
	2230BU18 CW	18W	6500K	>0.9	240°	>80	450.00	01/60	
	2230BU20 WW	20W	3000K	>0.9	240°	>80	540.00	01/60	
	2230BU20 CW	20W	6500K	>0.9	240°	>80	540.00	01/60	
	2230BU25 WW	25W	3000K	>0.9	240°	>80	650.00	01/30	
	2230BU25 CW	25W	6500K	>0.9	240°	>80	650.00	01/30	
	2230BU30 WW	30W	3000K	>0.9	240°	>80	850.00	01/20	
	2230BU30 CW	30W	6500K	>0.9	240°	>80	850.00	01/20	
	2230BU40 WW	40W	3000K	>0.9	240°	>80	1075.00	01/12	
	2230BU40 CW	40W	6500K	>0.9	240°	>80	1075.00	01/12	
	2230BU50 WW	50W	3000K	>0.9	240°	>80	1250.00	01/12	
	2230BU50 CW	50W	6500K	>0.9	240°	>80	1250.00	01/12	
	2230BU60 WW	60W	3000K	>0.9	240°	>80	1500.00	01/12	
	2230BU60 CW	60W	6500K	>0.9	240°	>80	1500.00	01/12	
KGLOW FULL DOME BULB - B22									
	2246BU05 WW	5W	3000K	>0.9	240°	>80	160.00	50/200	NEW
	2246BU05 CW	5W	6500K	>0.9	240°	>80	160.00	50/200	
	2246BU07 WW	7W	3000K	>0.9	240°	>80	165.00	50/200	
	2246BU07 CW	7W	6500K	>0.9	240°	>80	165.00	50/200	
	2246BU09 WW	9W	3000K	>0.9	240°	>80	170.00	50/200	
	2246BU09 NW	9W	4000K	>0.9	240°	>80	170.00	50/200	
	2246BU09 CW	9W	6500K	>0.9	240°	>80	170.00	50/200	
	2246BU09 RD	9W	Red	>0.9	240°	>80	185.00	50/200	
	2246BU09 GN	9W	Green	>0.9	240°	>80	185.00	50/200	
	2246BU09 BE	9W	Blue	>0.9	240°	>80	185.00	50/200	
	2246BU09 PK	9W	Pink	>0.9	240°	>80	185.00	50/200	
	2246BU09 OE	9W	Orange	>0.9	240°	>80	185.00	50/200	


 ROBUST
DESIGN

 GREEN
PRODUCT

 SUPERIOR
CRI

 ENERGY
SAVER

 MAINTENANCE
FREE

 ZERO
MERCURY

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.

Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).


BRING ALIVE THE
MAGIC OF MODERN
AESTHETICS.

KOMET

BATTEN LIGHT

KOSMIK

BATTEN LIGHT



Oval Shape















Aluminium Body

REDEFINING SMART LIGHTING.

Enjoy unvarying illumination across spaces and save on your energy bills too.

In addition, being lightweight, you don't need much manpower or accessories to fix these lights. Komet batten made with aluminium material is crafted to enrich your decor, these lights celebrate the very joy of life. The unique oval shape of Kosmik batten is sleek and easy to install.

	Code	Power	Colour Temp	Power Factor	Beam Angle	CRI	Dimension	MRP ₹/U	Pack		
KARIS BATTEN LIGHT											
	2402BA36 WW	36W	3000K	>0.9	120°	>80	1130	650.00	01/25	NEW	
	2402BA36 NW	36W	4000K	>0.9	120°	>80	1130	650.00	01/25		
	2402BA36 CW	36W	6500K	>0.9	120°	>80	1130	650.00	01/25		
KARIS TRIO 3-IN-1 COLOUR CHANGING BATTEN LIGHT											
	2402BA20 3-in-1	20W	3000K 4000K 6500K	>0.9	120°	>80	1130	555.00	01/20	NEW	
NYX BATTEN LIGHT											
	2431BA05 WW	5W	3000K	>0.9	120°	>80	280	365.00	01/25	NEW	
	2431BA05 NW	5W	4000K	>0.9	120°	>80	280	365.00	01/25		
	2431BA05 CW	5W	6500K	>0.9	120°	>80	280	365.00	01/25		
	2431BA05 RD	5W	Red	>0.9	120°	>80	280	385.00	01/25		
	2431BA05 GN	5W	Green	>0.9	120°	>80	280	385.00	01/25		
	2431BA05 BE	5W	Blue	>0.9	120°	>80	280	385.00	01/25		
	2431BA05 PK	5W	Pink	>0.9	120°	>80	280	385.00	01/25		
	2431BA10 WW	10W	3000K	>0.9	120°	>80	570	385.00	01/25		
	2431BA10 NW	10W	4000K	>0.9	120°	>80	570	385.00	01/25		
	2431BA10 CW	10W	6500K	>0.9	120°	>80	570	385.00	01/25		
	2431BA10 RD	10W	Red	>0.9	120°	>80	570	415.00	01/25		
	2431BA10 GN	10W	Green	>0.9	120°	>80	570	415.00	01/25		
	2431BA10 BE	10W	Blue	>0.9	120°	>80	570	415.00	01/25		
	2431BA10 PK	10W	Pink	>0.9	120°	>80	570	415.00	01/25		
	2431BA20 WW	20W	3000K	>0.9	120°	>80	1120	405.00	01/25		
	2431BA20 NW	20W	4000K	>0.9	120°	>80	1120	405.00	01/25		
	2431BA20 CW	20W	6500K	>0.9	120°	>80	1120	405.00	01/25		
	2431BA20 RD	20W	Red	>0.9	120°	>80	1120	440.00	01/25		
	2431BA20 GN	20W	Green	>0.9	120°	>80	1120	440.00	01/25		
	2431BA20 BE	20W	Blue	>0.9	120°	>80	1120	440.00	01/25		
	2431BA20 PK	20W	Pink	>0.9	120°	>80	1120	440.00	01/25		
	2431BA20 OE	20W	Orange	>0.9	120°	>80	1120	440.00	01/25		
	2431BA24 WW	24W	3000K	>0.9	120°	>80	1140	470.00	01/25		
	2431BA24 NW	24W	4000K	>0.9	120°	>80	1140	470.00	01/25		
	2431BA24 CW	24W	6500K	>0.9	120°	>80	1140	470.00	01/25		
KOSMIK OVAL BATTEN LIGHT											
	2415BA24 WW	24W	3000K	>0.9	120°	>80	1140	470.00	01/25	NEW	
	2415BA24 NW	24W	4000K	>0.9	120°	>80	1140	470.00	01/25		
	2415BA24 CW	24W	6500K	>0.9	120°	>80	1140	470.00	01/25		
KOMET BATTEN LIGHT (ALUMINIUM HOUSING)											
	2216BA40 WW	40W	3000K	>0.9	120°	>80	1180	725.00	01/20	NEW	
	2216BA40 NW	40W	4000K	>0.9	120°	>80	1180	725.00	01/20		
	2216BA40 CW	40W	6500K	>0.9	120°	>80	1180	725.00	01/20		

All dimensions in mm

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.
Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).

ELEVATING
OUTDOOR
EXPERIENCES.



Introducing

KITE

STREET LIGHT

ILLUMINATE
YOUR
OUTDOORS
WITH LED
STREET LIGHTS.











Introducing

EDGE

STREET LIGHT

Make your outdoors shine with our innovative and stylish LED street lights. Whether you want to create a modern, elegant, or cozy ambience, we have the perfect solution for you. Our LED street lights are durable, versatile, and energy-efficient, offering you a range of colors, shapes, and sizes to suit your needs.

	Code	Power	Colour Temp	Power Factor	Beam Angle	MRP ₹/U	Pack		
KITE STREET LIGHT									
	2235ST24 WW	24W	3000K	>0.9	120°	1380.00	01/20	NEW	
	2235ST24 CW	24W	6500K	>0.9	120°	1380.00	01/20		
	2235ST36 WW	36W	3000K	>0.9	120°	1855.00	01/20		
	2235ST36 CW	36W	6500K	>0.9	120°	1855.00	01/20		
	2235ST50 WW	50W	3000K	>0.9	120°	2565.00	01/10		
	2235ST50 CW	50W	6500K	>0.9	120°	2565.00	01/10		
	2235ST100 WW	100W	3000K	>0.9	120°	4275.00	01/05		
	2235ST100 CW	100W	6500K	>0.9	120°	4275.00	01/05		
KITE STREET LIGHT WITH LIGHT DETECTOR SENSOR									
	2236ST36 WW	36W	3000K	>0.9	120°	2140.00	01/20		NEW
	2236ST36 CW	36W	6500K	>0.9	120°	2140.00	01/20		
	2236ST50 WW	50W	3000K	>0.9	120°	2945.00	01/10		
	2236ST50 CW	50W	6500K	>0.9	120°	2945.00	01/10		
	2236ST100 WW	100W	3000K	>0.9	120°	4750.00	01/05		
	2236ST100 CW	100W	6500K	>0.9	120°	4750.00	01/05		
EDGE STREET LIGHT									
	2234ST20 WW	20W	3000K	>0.9	120°	1080.00	01/20	NEW	
	2234ST20 CW	20W	6500K	>0.9	120°	1080.00	01/20		



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Street Lights are IP66 Protected.

Introducing

KITE

FLOOD LIGHT

BRIGHTEN UP
YOUR OUTDOORS
WITH LED FLOOD
LIGHTS.















Introducing

KANON

FLOOD LIGHT

Brighten up your outdoors with maximum efficiency and durability with our LED flood lights. Our LED flood lights are powerful, sturdy, and stylish, offering you uniform and precise illumination. Our LED flood lights are also eco-friendly, energy-saving, and long-lasting, giving you the best value for your money.

	Code	Power	Colour Temp	Power Factor	Beam Angle	MRP ₹/U	Pack	
KITE FLOOD LIGHT								NEW
	2235FL30 WW	30W	3000K	>0.9	120°	1710.00	01/10	
	2235FL30 CW	30W	6500K	>0.9	120°	1710.00	01/10	
	2235FL50 WW	50W	3000K	>0.9	120°	2385.00	01/10	
	2235FL50 CW	50W	6500K	>0.9	120°	2385.00	01/10	
	2235FL100 WW	100W	3000K	>0.9	120°	4050.00	01/10	
	2235FL100 CW	100W	6500K	>0.9	120°	4050.00	01/10	
	2235FL200 WW	200W	3000K	>0.9	120°	8100.00	01/05	
	2235FL200 CW	200W	6500K	>0.9	120°	8100.00	01/05	
KANON FLOOD LIGHT								NEW
	2432FL20 WW	20W	3000K	>0.9	120°	1440.00	01/10	
	2432FL20 CW	20W	6500K	>0.9	120°	1440.00	01/10	
	2432FL20 RD	20W	Red	>0.9	120°	1560.00	01/10	
	2432FL20 GN	20W	Green	>0.9	120°	1560.00	01/10	
	2432FL20 BE	20W	Blue	>0.9	120°	1560.00	01/10	
	2432FL30 WW	30W	3000K	>0.9	120°	1800.00	01/05	
	2432FL30 CW	30W	6500K	>0.9	120°	1800.00	01/05	
	2432FL30 RD	30W	Red	>0.9	120°	1960.00	01/05	
	2432FL30 GN	30W	Green	>0.9	120°	1960.00	01/05	
	2432FL30 BE	30W	Blue	>0.9	120°	1960.00	01/05	
	2432FL50 WW	50W	3000K	>0.9	120°	2480.00	01/05	
	2432FL50 CW	50W	6500K	>0.9	120°	2480.00	01/05	
	2432FL100 WW	100W	3000K	>0.9	120°	4320.00	01/03	
	2432FL100 CW	100W	6500K	>0.9	120°	4320.00	01/03	
	2432FL150 WW	150W	3000K	>0.9	120°	6400.00	01/03	
	2432FL150 CW	150W	6500K	>0.9	120°	6400.00	01/03	
	2432FL200 WW	200W	3000K	>0.9	120°	9600.00	01/03	
	2432FL200 CW	200W	6500K	>0.9	120°	9600.00	01/03	



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

Flood Lights are IP66 Protected.



Add radiance to your life.

Bright lights play an important role in our overall well-being, it's important to have the right lights that offer uniform brightness in our spaces. Our stunning range of LED lightings are the right blend of innovation and science and cater to varied requirements. These are designed specifically to illuminate your spaces incredibly and lift your mood.

Disclaimer

- Actual products may vary from the product shown in this catalogue.
- Due to the very nature of the basic raw material - due to environmental/climatic/ temperature/lot to lot variation etc. reasons, their finish and colour may vary from piece to piece, which is beyond the Company's control.
- The data provided here are indicative & may be revised without prior intimation.
- All specifications are based on standard test conditions in Laboratory at standard temperature and pressures.
- Kolors logo is trademark & property of Kolors India Private Limited. Misuse of any intellectual property, or any other content displayed herein is strictly prohibited.
- All Kolors products must be opened and repaired exclusively by personnel trained and approved by Kolors. Any unauthorized opening or repair completely cancel all liabilities and rights to replacement and warranties.
- The Company will not be liable for damages arising due to incorrect installation.
- Any attempt made to rectify, dismantle or alter the product may lead to electrical shock or may destroy the product for which the company is not responsible. The Company is also not responsible for any consequential loss or damage or installation costs arising out of the same.
- The Company undertakes to replace or repair products at its discretion should they become defective solely as a result of faulty materials or workmanship. Warranty of any kind becomes invalid if the product has not been installed or maintained in accordance with the Company's instruction, or in any attempts has been made to rectify, dismantle or alter the product and does not extend to cover consequential loss or damage or installation costs arising from the defective product.
- Limitation of liability: Company shall not be liable for any special, indirect, incidental or consequential damages what so ever including but not limited to loss of profit, revenue or data (whether or indirect or commercial loss for breach of any express or implied warranty on your product even if the Company has been advised of the possibility of such damages).
- The Company reserves the right to modify or change the product design and specification in the future without prior intimation. Similarly, colours and finishes are also liable to change without any prior intimation.

Terms & Conditions

- This cancels all our previous price lists.
- This price list is subject to change without prior notice.
- The MRP rates are inclusive of all taxes.
- Warranty policy subject to change without prior notice.



make
life
better



KOLORS INDIA PRIVATE LIMITED

401, Vastu Prestige, Sundarban Complex
Link Road, Andheri (W), Mumbai - 400 053

TOLL FREE: 1800 221 470

EMAIL: sales@kolorsworld.com

Follow us on:    

kolorsworld.com